

# Connecting you to Solutions for the Mobility Market

For availability and orders:  
[www.nexeoplastics.com](http://www.nexeoplastics.com)



# MOBILITY

Our **mobility team** has extensive market knowledge to provide application and supply chain solutions. In partnership with our suppliers we cover the whole range of plastic mobility applications and form a seamless entity delivering materials when and where you need them. We have built a specialized team of sales representatives concentrating on mobility products and backed them up with knowledgeable senior technical service and customer service representatives to ensure the best possible service to meet your needs.


## Our team offers

- Material selection
- Assistance in part design
- Concurrent engineering approach to program management
- Process optimization
- Specialized technical service including application problem solving
- Plastanalisi®: Plastic testing laboratory with high-level analysis of plastics

## Look to Nexeo Plastics for

- Consolidated material sourcing
- Locally stocked mobility grades – available for just-in-time delivery
- Automotive approved colors, salt and pepper color blending services
- Global customer and project coordination

# TECHNICAL AND DEVELOPMENT SOLUTIONS



## PROVIDE TRANSACTIONAL EFFICIENCIES

- **Tailored Account Customer Service**
  - Aligned customer service resources to satisfy customer requirements and business strategy
  - Manage customer pricing and supply
- **Tailored Inventory management systems**
- **Dedicated Corporate Account Pricing Administrators**

# MATERIAL EXPERTISE

## FOR DIVERSE MOBILITY SEGMENTS

### E-MOBILITY

**Electro mobility (or e-Mobility)** represents the concept of using electric powertrain technologies, in-vehicle information, and communication technologies and connected infrastructures to enable the electric propulsion of vehicles and fleets. **E-mobility** brings supplementary requirements for the flame retardancy of the new components used in the car, as well as weight reduction, mechanical strength and asks for extreme noise cancelation, now when the engine is loud-less.



#### PERFORMANCE CONSIDERATIONS

- Flame retardant components
- High temperature resistance
- Chemical/media resistance to coolants & other car fluids
- Electro-compatibility / insulation
- Noise reduction (elastomers)

#### TYPICAL APPLICATIONS

- Battery components (holder, case)
- Battery module enclosure
- Battery pack cover
- Charging infrastructure
- Connectors/ cable management
- Thermal management (water pump, fitting, heater, pipes)
- E-motor components (stator/rotor, end caps, bus ring, connector support)
- Electric Power train (high voltage housing, fuse boxes, connectors & inlets)

### SUSTAINABLE MATERIALS

A **sustainable polymer** is a plastic material that addresses the needs of consumers without damaging our environment, health, and economy. Mobility industry is on the forefront of the change towards sustainable solutions and looks for sustainable materials and a design for easier de-assembling after car-life. The huge environmental benefit of recycling is that fewer virgin raw materials are needed for the manufacturing of new products. Furthermore, recycling reduces pollution that is caused by discarding or burning waste.

#### PERFORMANCE CONSIDERATIONS

- Almost same mechanical/ physical properties as virgin material at comparative prices
- Reduce a the virgin raw material amount in a car (25-50%)
- Bio-Polymers (from 2<sup>nd</sup> generation bio feedstock) or Wood-based
- Biodegradable plastics made from traditional petrochemicals, which are engineered to break down more quickly.
- Recycled materials (from both Mechanical & Chemical Recycling) from Post Consumer Recycling PCR or Post Industrial Recycling PIR
- Ocean Bound Plastics (collected within 30 km from the Ocean or rivers)

#### TYPICAL APPLICATIONS

- Several exterior components of the car (body panels, rocker panels, grills, bumpers)
- All kind of interior applications even with severe emission restrictions (door panels, seat parts, glove box)



## EXTERIOR


This area encompasses exterior applications that include devices such as bumpers and grills, body and rocker panels, mirrors and front end carriers. These devices require high performances in both security and aesthetics since usually they are the first barrier in case of impact and the first and most visible part of the vehicles.

### PERFORMANCE CONSIDERATIONS

- High UV stability
- High surface aesthetics
- Excellent paintability
- Dimensional stability
- Impact resistance
- Stiffness

### TYPICAL APPLICATIONS

- Bumpers
- Body panels
- Rocker panels
- Mirrors
- Front end carriers
- Wheel covers



## INTERIOR

The interior part components of the vehicles are very important to provide comfort and security to the passengers through including devices with excellent heat stability, scratch resistance, “soft touch” or low stickiness. The interior includes devices such as instrument panel, door panel, mid console, glove box and seat parts among others.

### PERFORMANCE CONSIDERATIONS

- Surface quality
- Scratch resistance
- Low VOC optimization
- Low gloss
- Low stickiness
- Impact/Stiffness balance
- Dimensional stability

### TYPICAL APPLICATIONS

- Instrument panel
- Door panels
- Glove box
- Seat parts
- Mid Console



# MATERIAL EXPERTISE

## FOR DIVERSE MOBILITY SEGMENTS

### UNDER THE BONNET

This area is extremely sensible to changes in temperature, chemical products exposures and demanding acoustic environments during long periods of time. For this reason, devices included in that area have to excel in that conditions and at the same time show a good image.

#### PERFORMANCE CONSIDERATIONS

- Long term high heat resistance
- Chemical resistance
- Acoustic behaviour
- High mechanicals

#### TYPICAL APPLICATIONS

- Beauty/Engine cover
- Air intake manifolds
- Battery cases
- Cooling liquid container
- Air fans
- Battery carrier



### ELECTRICAL & ELECTRONIC

**Excellent electrical and electronics devices** is a must have in order to assure the quality and security of the vehicles produced. For this reason, all the devices in that area have to excel in security conditions along all the product life. For example, devices such as cable channels and fuse boxes have to shine in performances in flame retardancy and keep its properties even in difficult environments with prolonged periods of time.

#### PERFORMANCE CONSIDERATIONS

- Flame retardancy
- Long life time cycles
- Electrical properties
- Heat ageing resistance

#### TYPICAL APPLICATIONS

- Power windows
- Sun roofs
- Locking systems
- Cable Channels
- Fuse boxes
- Cables)



### STRUCTURAL PARTS

As well as the exterior and interior area of the vehicles, the structural parts have to perform in excellent security and stability conditions along the product life time.

#### PERFORMANCE CONSIDERATIONS

- Impact resistance
- Stiffness
- Dimensional stability
- Weight reduction

#### TYPICAL APPLICATIONS

- Clutch pedal carrier
- Pilars
- Window frames
- Front end carrier
- Gear lever housing
- Seat structure



# OUR PRODUCTS

## LINE CARD

### ENGINEERING THERMOPLASTICS

Product	Subproduct	Brand Name	Producer
ABS		Magnum** , <b>Magnum* Bio ABS* 1,4</b>	TRINSEO
PA6		Akulon** , Ultraflow**	ENVALIOR
	Compounds	<b>RecoOne</b>	KINGFA
	Compounds for low moisture uptake	Creamid* P/S	TEKNOR APEX
	Cross-linkable ETP	Creamid* V	TEKNOR APEX
PA66		Akulon**	ENVALIOR
	Compounds	<b>RecoOne</b>	KINGFA
	Compounds for low moisture uptake	Creamid* P/S	TEKNOR APEX
	Cross-linkable ETP	Creamid* V	TEKNOR APEX
PA66 + PA 6I/6T	Compounds for low moisture uptake	Creamid* P/S	TEKNOR APEX
PA+ABS	Specialty blends	Creablend	TEKNOR APEX
PA+PP	Specialty blends	Creablend	TEKNOR APEX
PBT		Arnite* **	ENVALIOR
PC		Xantar* *	mitsubishi
PC/ABS		Pulse* * , Emerge* , <b>Pulse* * Eco<sup>3</sup></b>	TRINSEO
		Xantar** C	mitsubishi
	Specialty blends	Creablend	TEKNOR APEX
PC + PBT	Specialty blends	Creablend	TEKNOR APEX
PET		Arnite* ** A	ENVALIOR
PMMA		Acryplas***	WANHUA
POM		Iupital* *	mitsubishi
PPA		ForTii** , ForTii Ace**	ENVALIOR
PPS		Xytron* **	ENVALIOR
TPE	TPC	Arnitel* **	ENVALIOR
	TPV	Sarlink* ****	TEKNOR APEX
	TPU	Wanthane*****	WANHUA
	TPS & TPO	Multiflex*****	DUPONT
TPU		Desmoflex*	TEKNOR APEX
Colour Masterbatch		.	TRINSEO

### STANDARD THERMOPLASTICS

Product	Subproduct	Brand Name	Producer
PP	Homopolymer	.	BOREALIS
		<b>Bornewables* * 4 , Borcycle* * 2</b>	BOREALIS
	Copolymer	.	BOREALIS
		<b>Bornewables* * 4 , Borcycle* * 2</b>	BOREALIS
	Random Copolymer	Borpact* * , Borpure* * , <b>Bornewables* * 4</b>	BOREALIS
	Compounds	Fibremod* * , Daplen* * , Borcom* * , <b>Borcycle* * 2 , Bornewables* * 4</b>	BOREALIS
Modified high-performance compounds	Crealen		
PE	LDPE	.	BOREALIS
		<b>Bornewables* * 4</b>	BOREALIS
	LLDPE/mLLDPE	Borstar* *	BOREALIS
	HDPE	Borpure* *	BOREALIS

\* Not available in Baltics

\*\* Not available in Dach, Poland, CEE and Baltics

\*\*\* Only available in Italy and Spain

\*\*\*\* Not available in Nordics

\*\*\*\*\* Only available in Benelux, Spain and UK

\*\*\*\*\* Only available in Benelux, Portugal, Spain, Baltics and Nordics

#### ■ Sustainable Materials

\* Trademark or Registered Trademark owned by a third party

<sup>(1)</sup> Mass balanced

<sup>(2)</sup> Post Consumer Recyclate

<sup>(3)</sup> Post Industrial Recyclate

<sup>(4)</sup> Bio-based Mass Balanced

# NEXEO PLASTICS Europe

Nexo Plastics prides itself on providing its Customers with:

- Superior customer service (ISO certified)
- Broad product portfolio from world-class manufacturers
- Competitive pricing
- Geographic coverage
- Strong / long-term relationships
- Small / medium / large quantities
- Technical expertise in end applications
- Flexibility to meet changing demand
- Efficient management & available inventory

- ◆ Warehouses
- Sales office



## Nexo Plastics European Central Office

Carrer Luis Muntadas, 5  
08940 Cornellà de Llobregat  
Tel: +34 93 480 91 25  
plastics.europe@nexeoplastics.com

## Austria

Tel: +49 711 490 96087  
nexeodach@nexeoplastics.com

## Benelux

Nexo Plastics Europe B.V.  
nexeobenelux@nexeoplastics.com

## CEE

Tel: 00 48 601 652 757  
nexeoCEE@nexeoplastics.com

## CZ, HU, SK

Tel: 00 420 602 218 084  
nexeoCEE@nexeoplastics.com

## Denmark

Tel: +46 303 72 95 00  
plasticsnordics@nexeoplastics.com

## Finland

Tel: +46 303 72 95 00  
plasticsnordics@nexeoplastics.com

## France

55 Avenue de Colmar 92 500  
Ruel Malmaison, France  
Tel: +33 (0) 141 192 920  
nexeofrance@nexeoplastics.com

## DACH

Curiestr. 2,  
D-70563 Stuttgart, Germany  
Tel: +49 711 490 96087  
nexeodach@nexeoplastics.com

## Ireland

Nexo Plastics Europe BV  
Tel: +44 177 352 06 66  
nexeoireland@nexeoplastics.com

## Italy

Nexo Plastics Italy srl  
Via Maso n.27  
42045 Luzzara (Reggio Emilia)  
Tel: +39 0522 1215875  
nexeotaly@nexeoplastics.com

## LT, LV

Tel: +48 601 336 544  
nexeoCEE@nexeoplastics.com

## Norway

Tel: +46 303 72 95 00  
plasticsnordics@nexeoplastics.com

## Poland

Nexo Plastics Poland Sp. z o.o.  
Ruchliwa 15, 02-182 Warszawa  
Tel: +48 22 575 56 15  
nexeoCEE@nexeoplastics.com

## Portugal

Accolade Portugal, Unipessoal Lda  
nexeolberia@nexeoplastics.com

## RO, BG

Nexo Plastics BV  
Tel: 00 40 721 106 659  
nexeoCEE@nexeoplastics.com

## Spain

Nexo Plastics Spain SLU  
Luis Muntadas N° 5, 3ª Planta 08940  
Cornellà de Llobregat  
Barcelona, Spain  
Tel: +34 934809125  
nexeolberia@nexeoplastics.com

## Nordics

Nexo Plastics Sweden AB  
Hyllie Stationstorg 31 MALMO,  
SE 215 32 Sweden  
Tel: + 46 20881393  
plasticsnordic@nexeoplastics.com

## Switzerland

Tel: +49 711 490 960 87  
nexeodach@nexeoplastics.com

## UK

Nexo Plastics UK Limited  
Unit 6 -Swanwick Court Alfreton,  
Derbyshire DE55 7AS GB  
Tel: +44 177 352 0666  
nexeouk@nexeoplastics.com

©2023 Nexeo Plastics, LLC.  
All Rights Reserved.  
NEX-AUT-EMEA-BRO-1



Updated: November 2023

[NEXOPLASTICS.COM](https://www.nexooplastics.com)

All statements, information and data presented herein by Nexeo Plastics are believed to be accurate but are not to be taken as a guarantee or other representation for which Nexeo Plastics and its affiliates and subsidiaries assume legal responsibility.

NEXEO PLASTICS EXPRESSLY DISCLAIMS ANY AND ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY OR FITNESS

FOR A PARTICULAR PURPOSE, ARISING OUT OF ANY USE OF THE PRODUCTS OR SERVICES IDENTIFIED HEREIN OR RELIANCE ON ANY INFORMATION PROVIDED HEREIN.

All statements, information, recommendations and products must be thoroughly evaluated and verified by the end user to determine their applicability or suitability for each particular use. Typical values are indicative only and are not to be construed as being binding specifications.