

# New Solutions for the **Mobility Market** E-Mobility & Sustainable Solutions

**For availability and orders:**

[welcome@nexeoplastics.com](mailto:welcome@nexeoplastics.com)

Tel: +34 934809125

[www.nexeoplastics.com](http://www.nexeoplastics.com)





As the world becomes more conscious of its impact on the environment, e-mobility has emerged as a promising trend for the transportation industry. While electric vehicles have taken the spotlight in this area, the trend towards e-mobility extends beyond just cars, to include other modes of transportation such as motorbikes, buses, and even bicycles. The shift towards e-mobility also presents new challenges and opportunities for industries such as plastics, as materials that are lightweight, strong, and sustainable, are crucial to the development of these vehicles.

At Nexo Plastics, we recognize the importance of e-mobility and the role that the plastics industry plays in its development. That is why we are committed to providing high-quality technical solutions that help our customers tackle the challenges associated with e-mobility applications. Our team of experts has advanced knowledge in the field of e-mobility and is well-equipped to help you find the ideal material solution that meets your sustainability, regulatory, and performance goals.


# From Exteriors to Under the Hood

Our thermoplastics solutions offer a range of benefits for e-mobility applications, from reducing vehicle weight to meeting EMI, flame retardant, and CTI requirements. Our materials can also be used as alternatives to metals in certain applications, making them a versatile choice for a wide range of e-mobility applications. We offer both commodity and specialty materials for exterior, interior, lighting, battery, under-the-hood, cable and wiring, jacketing, among others.

In the path to mobility development, **sustainability is a key factor to consider.** At Nexeo Plastics, we believe sustainability is an essential element of the **future of mobility**, and we are committed to providing sustainable solutions for our customers in the plastics industry. From exteriors to under the hood, our **materials for mobility applications include sustainable solutions from the best in class suppliers that offer a range of benefits, including reduced environmental impact and improved efficiency.**

Our **technical team** can assist you throughout the entire process, from material specification to production part approval process (PPAP) assistance, troubleshooting and review, and even assistance during manufacturing trials. With our advanced knowledge and expertise, we can **help you tackle any material challenges you may face in the development of your e-mobility applications.**

At Nexeo Plastics, we understand the importance of e-mobility and the challenges and opportunities it presents for industries such as plastics. With our advanced technical solutions and expert team, **we are committed to helping our customers find the ideal material solutions for their e-mobility applications.** Contact us today to learn more about how we can assist you with your e-mobility challenges.




Discover our **TECH TALKS** on e-mobility

# E-MOBILITY

## EV CHARGER

<b>Application</b>	Charging Handle Grip
<b>Technical properties</b>	High flow and/or surface appearance UV resistant Elasticity
<b>Material</b>	<b>TPV</b>
<b>Product</b>	Sarlink 4765B-42
<b>Supplier</b>	<b>Teknor Apex</b>

<b>Application</b>	Wall Box & Public Wall box
<b>Technical properties</b>	Halogen free flame retardant Impact resistance, down to -30°C Weatherability resistance Design freedom Aesthetics/colour Chemical resistance
<b>Material</b>	<b>PC/ABS</b>
<b>Product</b>	Emerge 7740
<b>Supplier</b>	<b>Trinseo</b>



<b>Application</b>	Wall Box
<b>Technical properties</b>	Safety (Flame retardant) Impact resistance Weatherability Design freedom Aesthetics/colour
<b>Material</b>	<b>PC</b>
<b>Product</b>	Emerge 8230-15
<b>Supplier</b>	<b>Trinseo</b>

<b>Application</b>	Charger Connector & Charging Adaptor
<b>Technical properties</b>	Halogen free flame retardant V0 grades - NC and BK UL-listed High CTI Friction resistant
<b>Material</b>	<b>PA66</b>
<b>Product</b>	PA66 NPG25
<b>Supplier</b>	<b>Kingfa</b>


# SOME OF OUR RECOMMENDED PRODUCTS\*

## BATTERY

<b>Application</b>	Module housing
<b>Technical properties</b>	30% GF V01.6mm High Flow Safety (Flame retardant) Stabilized for contact with metals
<b>Material</b>	<b>PP</b>
<b>Product</b>	FF311SF
<b>Supplier</b>	<b>Borealis</b>

<b>Application</b>	Electrical Storage
<b>Technical properties</b>	Flame retardant, V0 grades UL-listed, high RTI Excellent dimension stability Regrind up to 80% wt
<b>Material</b>	<b>PBT</b>
<b>Product</b>	PBT RG301
<b>Supplier</b>	<b>Kingfa</b>

<b>Application</b>	Bus bar
<b>Technical properties</b>	40% GF Best thermal insulative properties CTI > 180°C Best ATF resistance
<b>Material</b>	<b>PPS</b>
<b>Product</b>	Xytron G4024T
<b>Supplier</b>	<b>Envalior</b>



**\*Discover more products available  
CONTACT US!**

welcome@nexeoplastics.com  
Tel: +34 934809125  
www.nexeoplastics.com

# SUSTAINABLE SOLUTIONS


## INTERIOR

<b>Application</b>	Mid-consoles Pillars Door liners Glove boxes
<b>Technical properties</b>	ISCC mass balance certified Lot to Lot consistency Low VOC Heat stability High scratch and mar resistance
<b>Material</b>	<b>ABS</b>
<b>Product</b>	Magnum Bio 3525
<b>Supplier</b>	<b>Trinseo</b>

<b>Application</b>	Front end module
<b>Technical properties</b>	30% GF 68% PCR High stiffness
<b>Material</b>	<b>PP</b>
<b>Product</b>	Borcycle M GD3600SY
<b>Supplier</b>	<b>Borealis</b>

<b>Application</b>	Door handle Sunroof frame Brackets Thermostat housing Fans & shrouds
<b>Technical properties</b>	30% GF 70% PCR High strength & stab Good dimensional stability Good appearance Enviromental factor
<b>Material</b>	<b>PA 6</b>
<b>Product</b>	Recoone 22G30
<b>Supplier</b>	<b>Kingfa</b>

<b>Application</b>	Panel Carriers
<b>Technical properties</b>	20% GF 40% PCR Low Emissions High flow
<b>Material</b>	<b>PP</b>
<b>Product</b>	Borcycle M GE2331SY
<b>Supplier</b>	<b>Borealis</b>




# SOME OF OUR RECOMMENDED PRODUCTS\*

## UNDER THE HOOD

<b>Application</b>	Gears, Actuator, Fuel system components E-motor parts
<b>Technical properties</b>	ISCC mass balance certified content Heat stabilized W&F Lubricated Creep resistance
<b>Material</b>	<b>PA 4.6</b>
<b>Product</b>	Stanyl TW341 B-MB
<b>Supplier</b>	<b>Envalior</b>

<b>Application</b>	UTB components
<b>Technical properties</b>	PCR High heat, oil, hydrolysis and stiffness resistance Cost effective
<b>Material</b>	<b>PA 6.6</b>
<b>Product</b>	Recoone 12G30
<b>Supplier</b>	<b>Kingfa</b>



## EXTERIOR

<b>Application</b>	Frontgril Front & Rear Bumper
<b>Technical properties</b>	30% PIR Content Low density Easy processability Virgin equivalent mechanical performance
<b>Material</b>	<b>PC/ABS</b>
<b>Product</b>	Pulse GX50 ECO
<b>Supplier</b>	<b>Trinseo</b>



**\*Discover more products available  
CONTACT US!**

welcome@nexeoplastics.com  
Tel: +34 934809125  
www.nexeoplastics.com

# NEXEO PLASTICS Europe

Nexo Plastics prides itself on providing its Customers with:

- Superior customer service (ISO certified)
- Broad product portfolio from world-class manufacturers
- Competitive pricing
- Geographic coverage
- Strong / long-term relationships
- Small / medium / large quantities
- Technical expertise in end applications
- Flexibility to meet changing demand
- Efficient management & available inventory

- ◆ Warehouses
- Sales office



## Nexo Plastics European Central Office

Jarrer Luis Muntadas, 5  
08940 Cornellà de Llobregat  
Tel: +34 93 480 91 25  
nplastics.europe@nexeoplastics.com

## Austria

Tel: +49 711 490 96087  
nexeodach@nexeoplastics.com

## Benelux

Nexo Plastics Europe B.V.  
Tel: +31 10 899 0230  
nexeobenelux@nexeoplastics.com

## CEE

Tel: 00 48 601 652 757  
nexoCEE@nexeoplastics.com

## CZ, HU, SK

Tel: 00 420 602 218 084  
nexoCEE@nexeoplastics.com

## Denmark

Tel: +46 303 72 95 00  
nplasticsnordics@nexeoplastics.com

## Finland

Tel: +46 303 72 95 00  
nplasticsnordics@nexeoplastics.com

## France

35 Avenue de Colmar 92 500  
Rueil Malmaison, France  
Tel: +33 (0) 141 192 920

## DACH

Curiestr. 2,  
D-70563 Stuttgart, Germany  
Tel: +49 711 490 96087  
nexeodach@nexeoplastics.com

## Ireland

Nexo Plastics Europe BV  
Tel: +44 177 352 06 66  
nexeoireland@nexeoplastics.com

## Italy

Nexo Plastics Italy srl  
Via Maso n.27  
42045 Luzzara (Reggio Emilia)  
Tel: +39 0522 976421  
nexeoitally@nexeoplastics.com

## LT, LV

Tel: +48 601 336 544  
nexoCEE@nexeoplastics.com

## Norway

Tel: +46 303 72 95 00  
nplasticsnordics@nexeoplastics.com

## Poland

Nexo Plastics Poland Sp. z o.o.  
Ruchliwa 15, 02-182 Warszawa  
Tel: +48 22 575 56 15  
nexoCEE@nexeoplastics.com

## Portugal

Accolade Portugal, Unipessoal Lda  
nexoiberia@nexeoplastics.com

## RO, BG

Nexo Plastics BV  
Tel: 00 40 721 106 659  
nexoCEE@nexeoplastics.com

## Spain

Nexo Plastics Spain SLU  
Luis Muntadas N° 5, 3ª Planta 08940  
Cornellà de Llobregat  
Barcelona, Spain  
Tel: +34 934809125  
nexoiberia@nexeoplastics.com

## Nordics

Nexo Plastics Sweden AB  
Hyllie Stationstorg 31 MALMO,  
SE 215 32 Sweden  
Tel: + 46 20881393  
plasticsnordic@nexeoplastics.com

## Switzerland

Tel: +49 711 490 960 87  
nexeodach@nexeoplastics.com

## UK

Nexo Plastics UK Limited  
Unit 6-Swanwick Court Alfreton,  
Derbyshire DE55 7AS GB  
Tel: +44 177 352 0666  
nexeouk@nexeoplastics.com

©2023 Nexeo Plastics, LLC.  
All Rights Reserved.  
NEX-AUT-EMEA-BRO-1



Updated: August 2023

[NEXOPLASTICS.COM](https://www.nexooplastics.com)

All statements, information and data presented herein by Nexeo Plastics are believed to be accurate but are not to be taken as a guarantee or other representation for which Nexeo Plastics and its affiliates and subsidiaries assume legal responsibility.

NEXEO PLASTICS EXPRESSLY DISCLAIMS ANY AND ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY OR FITNESS

FOR A PARTICULAR PURPOSE, ARISING OUT OF ANY USE OF THE PRODUCTS OR SERVICES IDENTIFIED HEREIN OR RELIANCE ON ANY INFORMATION PROVIDED HEREIN.

All statements, information, recommendations and products must be thoroughly evaluated and verified by the end user to determine their applicability or suitability for each particular use. Typical values are indicative only and are not to be construed as being binding specifications.