

**TRUSTED
BY PROS[®]**

 **Mactronic[®]**

**TACTICAL
LIGHTING**



25
years at
MSP0

Founded in 1989, **MACTRONIC® GROUP** has established itself as a leader in high-performance lighting technology, marking 35 years of outstanding achievements in designing and manufacturing premium lighting tools. Starting as a humble endeavor, it has evolved into a prominent flashlight brand, offering a wide range of lighting solutions designed to meet the needs of varied users, including law enforcement, military personnel, firefighters, staff in various industrial sectors, and outdoor enthusiasts.

Our dedication to innovation is fueled by a profound comprehension of our customers' needs. This leads to the creation of lighting products that are not just exceptionally luminous but also offer significant value and durability. An expert engineering approach guarantees that each product in our collection is a testament to our commitment to excellence, functionality, and dependability.

Our slogan, **#trustedbypros**, is more than a mere catchphrase - it mirrors the trust and reliability that professionals in various fields have in our products.

Założona w 1989 roku firma **MACTRONIC® GROUP** jest polskim liderem w dziedzinie oświetlenia przenośnego o wysokiej wydajności. Zaczynając jako skromne przedsięwzięcie, przekształciła się w znaną markę latarek, która świętuje 35 lat osiągnięć w projektowaniu i produkcji najwyższej jakości sprzętu oświetleniowego. Oferuje szeroką gamę rozwiązań dla różnych użytkowników, w tym służb mundurowych, straży pożarnej, przemysłu i pasjonatów outdooru.

Nasze zaangażowanie w innowacje, oparte na głębokim zrozumieniu potrzeb klientów, pozwala nam tworzyć wyjątkowo wydajny, funkcjonalny i trwałe sprzęt oświetleniowy gwarantujący bezpieczeństwo i komfort użytkowania nawet w najbardziej wymagających warunkach. Eksperckość naszych inżynierów gwarantuje, że każdy nasz produkt jest świadectwem zaangażowania i dążenia do doskonałości i niezawodności.

Nasz slogan **#trustedbypros** to coś więcej niż zwykłe hasło - odzwierciedla zaufanie i niezawodność, jaką profesjonaliści z różnych dziedzin darzą nasze produkty.



STORM 1LP

NISKOPROFILOWY SYSTEM OŚWIETLENIA NA HEŁM



STORM 1LP

THL0051

ANSI FL1

90 lm

40 m



45° ADJUSTABLE LIGHT HEAD IN TWO DIRECTIONS



POWER SUPPLY	2 x CR123A			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
HIGH [WHITE]	90 lm	8 h 45 min	40 m	401 cd
MEDIUM [WHITE]	50 lm	17 h 30 min	29 m	206 cd
LOW [WHITE]	10 lm	80 h	13 m	43 cd
STROBE 1 (BEACON)	1 Hz - up to 95 h (WHITE/RED/GREEN/BLUE/IR)			
STROBE 2	1 Hz - up to 50 h (WHITE/RED/GREEN/BLUE/IR)			
RED	625 nm			
GREEN	525 nm			
BLUE	465 nm			
IR	880 nm			
DIMENSIONS	133 x 31,71 x 54,55 mm			
WEIGHT	101 g (without battery), 136 g (with battery)			
THE SET INCLUDES	2 x battery CR123A, paracord			

OPTIONAL ACCESSORIES:

T-THL0051 Hook and loop mount for helmet and vest



IP68 RATING



2 m IMPACT RESISTANCE



RESCUE BEACON



FRIEND OR FOE IDENTIFICATION



MOUNT FOR HELMET AND VEST



DIRECTIONAL LIGHT



OMNIDIRECTIONAL LIGHT



RGB+IR LIGHT



SWITCH LOCK



PATENT PENDING

EN

Storm 1LP is a helmet lighting system designed for military, police, and special forces, combining the functions of a tactical light and an IFF IR + RGB beacon. It is ideal for operations requiring enhanced light discipline, night training, evacuations, and battlefield medicine. It features two light sources: a rear-diffused RGB + IR and a front-directional RGB + IR + white light with angle adjustment. It emits a 90 lm light output up to 40 m. It has an IP68 waterproof rating and is impact resistance from 2 m. The rotary switches with a lock are easy to operate with gloves. It mounts on a helmet using an ARC rail or hook & loop. It meets MIL-STD 810H military standards.

PL

Storm 1LP to system oświetlenia na hełm dla wojska, policji i służb specjalnych, łączący funkcje taktycznej lampy i sygnalizatora IFF IR + RGB. Idealny do operacji w warunkach zwiększonej dyscypliny światła, nocnych szkoleń, desantów, ewakuacji i medycyny pola walki. Ma dwa źródła światła: tylne rozproszone RGB + IR oraz przednie kierunkowe RGB + IR + białe z regulacją kąta. Emituje strumień świetlny 90 lm na odległość do 40 m. Zasilana dwiema bateriami CR123A, działa do 80 h w trybie LOW. Klasa szczelności IP68 i odporność na upadki z 2 m. Obrótowe przełączniki z blokadą są łatwe w obsłudze w rękawicach. Montaż na hełmie na szynie ARC lub rzepie. Spełnia normy MIL-STD 810H.

NOMAD 03

THL0022MN

☀ 340 lm

◀ 120 m



POWER SUPPLY	3 × AAA
	RUN TIME
HIGH	40 h
MEDIUM	75 h
LOW	130 h
ECO	250 h
Red LED HIGH	150 h
Red LED SOS	200 h
DIMENSIONS	60 × 40 × 38 mm
WEIGHT	75 g (without batteries), 108 g (with batteries)
THE SET INCLUDES	batteries, RGB filters, diffuser, NVG mount



IP64 RATING



1 m IMPACT RESISTANCE



LAST SETTING MEMORY



BATTERY LIFE INDICATOR



DIFFUSER



MOLLE COMPATIBLE



SWITCH LOCK



RGB FILTERS

EN

Nomad 03 is an advanced headlamp that emits 340 lm of white light. It also features a red LED for light discipline situations and SOS signaling. Powered by 3 AAA batteries, it can run for over ten days in Eco ("survival") mode. It has an IP64 waterproof rating and is impact resistance from 1 m. Equipped with a diffuser and three color filters (RGB), it can be mounted on a helmet using Molle straps or NVG mounts. The silicone-coated headband ensures stability on both the head and helmet. Optional accessories include a battery level indicator, memory settings, and a switch lock. Ideal for law enforcement, hunters, and outdoor enthusiasts.

PL

Nomad 03 to zaawansowana lampa czołowa, która emituje białe światło o mocy 340 lm. Dodatkowo ma czerwoną diodę do użycia w warunkach zachowania dyscypliny światła i sygnalizacji SOS. Zasilana 3 bateriami AAA, działa ponad 10 dni w trybie Eco ("survival"). Ma klasę szczelności IP64 i odporność na upadki z 1 m. Wyposażona w dyfuzor i 3 kolorowe filtry (RGB), może być montowana na hełmie za pomocą taśm Molle lub montażu NVG. Pasek mocujący z silikonem zapewnia stabilność na głowie i kasku. Dodatkowe ułatwienia dają wskaźnik baterii, pamięć ustawień i blokada przycisków. Idealna dla służb mundurowych, myśliwych i pasjonatów outdooru.

T-FORCE XP

THH0211

ANSI FL1

☀️ 2030 lm

◀️ 300 m



POWER SUPPLY	18650 Li-Ion 3200 mAh / 2 x CR123A					
CHARGING TIME	5 h 30 min					
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY	LIGHT OUTPUT	RUN TIME
	Li-Ion 18650 3200 mAh				2 x CR123	
BOOST	2030 lm	3 h 30 min	300 m	27225 cd	-	-
HIGH	850 lm	3 h 40 min	-	-	-	-
MEDIUM	260 lm	6 h 50 min	-	-	260 lm	2 h 20 min
LOW	65 lm	29 h	-	-	65 lm	9 h 50 min
FIREFLY	0,5 lm	31 days	-	-	0,5 lm	19 dni
STROBE	2030 lm	7 h	-	-	260 lm	3 h 50 min
DIMENSIONS	23 x 25,4 x 124 mm					
WEIGHT	65 g (without battery), 112 g (with battery)					
THE SET INCLUDES	Li-ion battery, USB magnetic charger, o-ring, handstrap					

OPTIONAL ACCESSORIES:

RHH0061 - Picatinny mount, RHH0071 - M-LOK mount, RSW0011 Remote pressure switch, RAC0023 Li-Ion 3200 mAh rechargeable battery, THH0111-12-CONE-R Signal cone, orange, MAC0014 Universal charger, THH0111-12-FB/ THH0111-12-FG/THH0111-12-FR - RGB Filters



IPX8 RATING



2 m IMPACT RESISTANCE



DUAL SOURCE SYSTEM

EN

T-Force XP is a tactical flashlight designed for mounting on long guns. It emits a 2030 lm light output, illuminating up to 300 m. It is impact resistance from 2 m and waterproof (IPX8). It has a main tactical switch at the rear and a mode switch near the head for easy and flexible operation. It mounts to firearms using M-Lok or Picatinny systems. It is powered by a magnetically rechargeable 18650 Li-Ion 3200 mAh battery or two CR123A batteries. Optional accessories include a remote pressure switch for instant response and precise control, RGB filters, and a signal cone. The flashlight is designed for law enforcement, rescue teams, and sports shooters.

PL

T-Force XP to latarka taktyczna do montażu na broni długiej. Emituje strumień światła 2030 lm, oświetlając teren do 300 m. Jest odporna na upadki z 2 m i wodoszczelna [IPX8]. Ma dwa włączniki: przy głowicy i tylny (taktyczny). Montaż na broni za pomocą systemów M-Lok lub Picatinny. Zasilana akumulatorem 18650 Li-Ion 3200 mAh ładowanym magnetycznie lub dwiema bateriami CR123A. Dodatkowe akcesoria: filtry RGB, włącznik żelowy prosty i nakładka sygnalizacyjna. Idealna dla służb mundurowych, grup ratowniczych, strzelców sportowych, pasjonatów airsoftu, EDC oraz miłośników outdooru i survivalu. Zapewnia skuteczne oświetlenie w trudnych warunkach atmosferycznych.

MCT-3

THH0151.1

ANSI FL1

700 lm

170 m



POWER SUPPLY	18650 Li-Ion 3400 mAh / 2 x CR123A	
	LIGHT OUTPUT	RUN TIME
HIGH	700 lm	45 min
DIMENSIONS	25,4-32,4 × 110 mm	
WEIGHT	101 g	
THE SET INCLUDES	switch	

 **IPX8 RATING**

 **ALU HOUSING**

 **DUAL SOURCE SYSTEM**

EN

MCT-3 is an advanced tactical lighting system for counter-terrorism units, police, and military groups. It is compatible with the PM-98 Glauberyt pistol. It has a remote pressure switch and a standard switch, so it can also be used as a handheld flashlight. It has an IPX8 waterproof rating. Powered by CR123A batteries or a Li-Ion 3400 mAh battery, it is made from anodized aluminum, ensuring reliability in harsh conditions. Ideal for military, special forces, and patrol units, it is also suitable for airsoft activities, shooting training, and as an EDC flashlight. It provides intense light, supporting both professional and everyday activities.

PL

MCT-3 to zaawansowane oświetlenie taktyczne stworzone dla grup kontrterrorystycznych, policyjnych i wojskowych. Dopasowana jest do pistoletu PM-98 Glauberyt. Wyposażona w dwa włączniki: żelowy i klasyczny, może być używana jako latarka ręczna. Ma klasę szczelności IPX8, zapewniającą pełną ochronę przed wodą. Zasilana bateriami CR123A lub akumulatorem Li-Ion 3400 mAh. Wykonana z anodowanego aluminium, jest niezawodna w trudnych warunkach. Idealna dla wojska, służb specjalnych i patrolowych. Sprawdza się w działaniach airsoftowych, treningach strzeleckich i jako latarka EDC. Zapewnia intensywne światło, wspierając profesjonalne i codzienne działania.

BLACK EYE 1550

THH0047

ANSI FL1

1550 lm

333 m



POWER SUPPLY	18650 Li-Ion 3,7V 3200 mAh			
CHARGING TIME	4 h 30 min			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
HIGH	1550 lm	2 h 30 min	333 m	27848 cd
MEDIUM	680 lm	4 h	230 m	13036 cd
LOW	127 lm	15 h 15 min	115 m	3358 cd
SOS	-	5 h	-	-
STROBE	-	5 h 30 min	-	-
DIMENSIONS	160 x 46 x 29 mm			
WEIGHT	175 g (without batteries), 225 g (with batteries)			
THE SET INCLUDES	Li-Ion battery, 230V AC charger, 12V - 24V DC car charger, charging base, USB-C cord, handstrap			

OPTIONAL ACCESSORIES:

RAC0026 Li-Ion 3350 mAh rechargeable battery, T-Kabura MX3 Holster, T-MX142-NAKŁADKA-Ż Signal cone (yellow), T-MX142-NAKŁADKA-CZ Signal cone (red), MAC0014 Universal charger



IP65
RATING



1,5 m
IMPACT
RESISTANCE



USB-C
CHARGING



GLASS
BREAKER



PREFOCUS

EN

Black Eye 1550 is the flagship tactical flashlight and the most powerful in the Black Eye series. It emits a 1550 lm light output with a range of up to 333 m. It is impact resistance from 1.5 m and meets IP65 waterproof standards. It has five operating modes, with a runtime from 2.5 to over 15 h. It is powered by a 18650 Li-Ion 3200 mAh battery. The set includes a 230V AC charger, a 12V-24V DC car charger, a rechargeable battery, a charging base, a USB-C cord, and a handstrap. Optional accessories include an MX3 holster and signal cones (red and yellow). Ideal for law enforcement, survival enthusiasts, and everyday use, it provides reliable and intense light in all conditions.

PL

Black Eye 1550 to flagowa latarka taktyczna, najpotężniejsza z serii Black Eye. Emituje strumień świetlny 1550 lm i zasięg do 333 m. Jest odporna na upadki z 1,5 m i spełnia normy szczelności IP65. Ma pięć trybów pracy: High, Medium, Low, Strobe i SOS, z czasem pracy od 2,5 do ponad 15 godzin. Zasilana jest akumulatorem Li-Ion 18650 o pojemności 3200 mAh. W skład zestawu wchodzi: ładowarka 230V AC, ładowarka samochodowa 12V-24V DC, akumulator, baza ładująca, przewód USB-C oraz pasek na rękę. Dodatkowe akcesoria obejmują kaburę MX3 i nakładki sygnalizacyjne. Idealna dla służb mundurowych, entuzjastów survivalu i do codziennego użytku, zapewnia niezawodne i intensywne światło w każdych warunkach.

BLACK EYE 1100

THH0048

ANSI FL1

1100 lm

245 m



POWER SUPPLY	18650 Li-Ion 3.7V 3200 mAh	
CHARGING TIME	4 - 5 h	
	LIGHT OUTPUT	RUN TIME
HIGH	1100 lm	2 h 25 min
MEDIUM	600 lm	3 h 30 min
LOW	200 lm	10 h
ECD	15 lm	110 h
STROBE	-	1 h 35 min
DIMENSIONS	142 × 34 × 28 mm	
WEIGHT	131 g (without batteries), 177 g (with batteries)	
THE SET INCLUDES	Li-Ion battery, handstrap, USB-C cord, holster, clip	

OPTIONAL ACCESSORIES:

RAC0026 Li-Ion 3350 mAh rechargeable battery, MAC0014 Universal charger, THH0043-CDNE-R Signal cone (orange)



**IPX6
RATING**



**1,5 m
IMPACT
RESISTANCE**



**USB-C
CHARGING**



**GLASS
BREAKER**



PREFOCUS

EN

The Black Eye 1100 is an advanced handheld flashlight, ideal for professionals such as police officers, municipal guards, security services, outdoor enthusiasts, and hunters. It emits an 1100 lm light output, illuminating areas up to 245 m. It is impact resistance from 1.5 m and has an IPX6 waterproof rating. It features a battery level indicator and a Double Click function for quick access to High mode. Powered by a 3200 mAh Li-Ion battery, it charges via USB-C. Its rugged construction is perfect for hunting and survival expeditions. Compact and lightweight, it's ready for everyday use and emergencies, such as breaking windows.

PL

Black Eye 1100 to zaawansowana latarka ręczna, idealna dla profesjonalistów, takich jak policja, straż miejska, służby ochrony oraz entuzjastów outdooru i myśliwych. Emituje strumień świetlny 1100 lm, oświetlając obszar do 245 m. Odporna na upadki z wysokości 1,5 m, ma klasę szczelności IPX6. Wyposażona jest we wskaźnik poziomu naładowania baterii i funkcję Double Click dla szybkiego przejścia do trybu High. Zasilana jest akumulatorem Li-Ion 3200 mAh, ładowanym przez USB-C. Wytrzymała konstrukcja sprawdza się podczas polowań i wypraw survivalowych. Kompaktowa i lekka, gotowa do codziennego użytku i sytuacji awaryjnych, takich jak wybijanie szyb.

BLACK EYE 1000

THH0049

ANSI FL1

1000 lm

286 m



POWER SUPPLY	18650 Li-Ion 3,7V 3200 mA			
CHARGING TIME	4 h 30 min			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
HIGH	1000 lm	3 h 30 min	286 m	20452 cd
MEDIUM	447 lm	5 h 45 min	200 m	9808 cd
LOW	94 lm	23 h 30 min	100 m	2598 cd
SOS	-	5 h 30 min	-	-
STROBE	600 lm	10 h	-	-
DIMENSIONS	136 x 36,5 x 28,5 mm			
WEIGHT	113 g (without batteries), 162 g (with batteries)			
THE SET INCLUDES	Li-Ion battery, 230V AC charger, 12V - 24V DC car charger, charging base, USB-C cord, diffuser, handstrap			

OPTIONAL ACCESSORIES:

MAC0014 Universal charger, T-MX532L-CDNE-R Signal cone (orange), T-Kabura MX1 Holster, T-KaburaMX1/Aku Holster with extra battery space, RAC0026 Li-Ion 3350 mAh rechargeable battery



IP65 RATING



1,5 m IMPACT RESISTANCE



USB-C CHARGING



GLASS BREAKER



LAST SETTING MEMORY



PREFOCUS

EN

Black Eye 1000 is a handheld flashlight designed for law enforcement. It is ideal for patrol and tactical operations, as well as for survival, hunting, and EDC. Compact and battery-powered, it offers a 1000 lm light output with a range of up to 286 m, providing good side illumination. It is impact resistance from 1.5 m and has an IP65 waterproof rating. It offers five modes: High, Medium, Low, Strobe, and SOS, with a runtime ranging from 3.5 to 23.5 h. Powered by a Li-Ion 3,7V 3200 mA battery, it provides up to 23.5 h of light. The set includes a 230V AC charger, a 12V-24V DC car charger, a charging base, a USB-C cord, a diffuser, and a handstrap.

PL

Black Eye 1000 to latarka ręczna dla służb mundurowych. Idealna do patrołowania, operacji taktycznych, także do survivalu, łowiectwa i codziennego noszenia (EDC). Kompaktowa, zasilana akumulatorem, oferuje strumień świetlny 1000 lm i zasięg do 286 m, zapewniając dobre doświetlenie boczne. Odporna na upadki z 1,5 m, ma klasę szczelności IP65. Oferuje pięć trybów: High, Medium, Low, Strobe i SOS, z czasem pracy od 3,5 do 23,5 godzin. Zasilana akumulatorem Li-Ion 3,7V 3200 mA, zapewnia do 23,5 h świecenia. W zestawie są ładowarka 230V AC, ładowarka samochodowa 12V-24V DC, baza ładująca, przewód USB-C, dyfuzor i pasek na rękę.

BLACK EYE MINI

L-MX512L

☀ 135 lm

◀ 100 m



POWER SUPPLY	1 × AA			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
HIGH	135 lm	1 h 30 min	100 m	4360 cd
LOW	50 lm	6 h	35 m	1280 cd
DIMENSIONS	118-124,5 × 29 × 20 mm			
WEIGHT	79 g (without batteries), 102 g (with batteries)			
THE SET INCLUDES	battery, clip			

OPTIONAL ACCESSORIES:

RFF0017 Filter (red), RFF0018 Filter (green)



IP65 RATING



2 m IMPACT RESISTANCE



FOCUS



GLASS BREAKER

EN

Black Eye Mini is a compact handheld flashlight powered by an AA battery, great for everyday use and emergencies. It emits a 135 lm light output with a range of up to 100 m. The Focus function allows you to adjust the beam width. It is rugged, impact resistance from 2 m, and has an IP65 waterproof rating. Its compact size makes it easy to store in a pocket or backpack, making it a perfect EDC item. Excellent as a backup military flashlight and an emergency light source for home or car.

PL

Black Eye Mini to kompaktowa latarka ręczna zasilana baterią AA, idealna do codziennego użytku i sytuacji awaryjnych. Emituje strumień świetlny 135 lm i zasięg do 100 m. Dzięki funkcji Focus można dostosować szerokość wiązki światła. Jest wytrzymała, odporna na upadki z 2 m, ma klasę szczelności IP65. Jej kompaktowe rozmiary umożliwiają łatwe przechowywanie w kieszeni lub plecaku. Sprawdza się jako element ekwipunku EDC. Doskonała jako zapasowa latarka wojskowa i awaryjne źródło światła w domu lub samochodzie.

BLITZ K12

THS0011

☀ 11600 lm

◀ 525 m



POWER SUPPLY	Li-Ion 7,4V 7800 mAh			
CHARGING TIME	9 h			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
BOOST	11600 lm	3 h	525 m	70000 cd
HIGH	5000 lm	4 h	315 m	25000 cd
MEDIUM	1500 lm	7 h	178 m	8000 cd
LOW	600 lm	15 h	154 m	6000 cd
ECO	180 lm	54 h	62 m	1000 cd
FLASHING 8Hz	-	15 h	-	-
DIMENSIONS	95 x 273 mm			
WEIGHT	952 g (without batteries), 1235 g (with batteries)			
THE SET INCLUDES	Li-Ion battery, charger 230V AC, shoulder strap, case			

OPTIONAL ACCESSORIES:

B-THS0011 Li-Ion 7,4V 7800 mAh rechargeable battery, T-THS0011 230V AC charger, THS-ŁA012/24 12/24V DC car charger



IP67 RATING



1 m IMPACT RESISTANCE



BATTERY LIFE INDICATOR



SWITCH LOCK

EN

Blitz K12 is a searchlight that generates an impressive 11,600 lm light output. Equipped with four LEDs, it ensures a bright light with a range of up to 525 m. It offers six operating modes and has an IP67 waterproof rating, providing complete dust protection and the ability to immerse in water up to 1 m deep for 30 min. It is also impact resistance from 1 m. The battery level indicator and a safety ring to prevent accidental activation enhance user safety. Powered by a 7.4V 7800 mAh Li-Ion battery, the flashlight can run in Eco mode for up to 54 h. The Blitz K12 is ideal for search and rescue operations, security and surveillance, rescue missions, and preventive measures.

PL

Blitz K12 to szperacz, który generuje imponujący strumień świetlny 11 600 lm. Wyposażony w cztery diody, gwarantuje jasną wiązkę światła o zasięgu do 525 m. Oferuje 6 trybów pracy. Ma klasę szczelności IP67 - pełną odporność na pył i zanurzenie w wodzie na głębokość 1 m (przez 30 minut) oraz odporność na upadki z 1 m. Wskaźnik poziomu naładowania baterii oraz pierścień zabezpieczający przed przypadkowym włączeniem lub wyłączeniem zwiększają bezpieczeństwo użytkownika. Zasilana akumulatorem Li-Ion 7,4V 7800 mAh, latarka może działać w trybie Eco do 54 h. Blitz K12 jest idealny do akcji poszukiwawczych, ochrony i monitorowania, ratownictwa i działań prewencyjnych.

BLITZ K3

THS0021

☀ 3000 lm

◀ 375 m



POWER SUPPLY	Li-Ion 7,4V 5000 mAh			
CHARGING TIME	9 h			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
BOOST	3000 lm	1 h 30 min	375 m	40000 cd
HIGH	1000 lm	3 h 30 min	220 m	12500 cd
MEDIUM	500 lm	4 h	155 m	6000 cd
LOW	100 lm	25 h	55 m	750 cd
FLASHING BHz	-	8 h	-	-
DIMENSIONS	62 x 172 mm			
WEIGHT	350 g (without batteries), 449 g (with batteries)			
THE SET INCLUDES	Li-Ion battery, charger 230V AC, handstrap, case			

OPTIONAL ACCESSORIES:

B-THS0021 Li-Ion 3.7V 5000 mAh rechargeable battery, T-THS0021/31 230V AC charger, THS-LAD12/24 12/24V DC car charger



IP67
RATING



1m IMPACT
RESISTANCE



BATTERY LIFE
INDICATOR



SWITCH
LOCK

EN

Blitz K3 is an advanced handheld flashlight generating a 3000 lm light output with a range of up to 375 m. It emits bright, white light with even dispersion. It operates in five modes, including a flashing mode. The IP67 rating protects against dust and water, and its impact resistance from 1.5 m confirms its robustness. A battery level indicator and a safety ring enhance comfort and user safety. A 7.4V 5000 mAh Li-Ion battery runs up to 25 h in Low mode, with a charging time of 9 h. It's great for everyday use, hunting, survival, caving, and technical inspections.

PL

Blitz K3 to zaawansowana latarka ręczna, generująca strumień świetlny 3000 lm z zasięgiem do 375 m. Emituje jasne, białe światło i równomierne rozpraszanie. Pracuje w pięciu trybach, w tym Flashing (migającym). Klasa szczelności IP67 chroni przed pyłem i wodą, a odporność na upadki z wysokości 1,5 m potwierdza jej solidność. Wskaźnik poziomu naładowania baterii i pierścień zabezpieczający zwiększają komfort i bezpieczeństwo użytkownika. Zasilana jest akumulatorem Li-Ion 7,4V o pojemności 5000 mAh, działa do 25 h w trybie Low, a ładowanie trwa 9 h. Idealna do codziennego użytku, myślistwa, survivalu, speleologii i inspekcji technicznych.

BLITZ LR11

THS0031

☀ 11000 lm

◀ 1100 m



POWER SUPPLY	Li-Ion 7.4V 2600 mAh / 3 x R14 (C)			
CHARGING TIME	4 h			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
BOOST	1100 lm	1 h 30 min	1100 m	300000 cd
HIGH	600 lm	8 h	760 m	145000 cd
MEDIUM	350 lm	13 h	620 m	98000 cd
LOW	100 lm	26 h	315 m	25000 cd
FLASHING 8Hz	-	8 h	-	-
DIMENSIONS	90 x 265 mm			
WEIGHT	557 g (without batteries), 685 g (with batteries)			
THE SET INCLUDES	Li-Ion battery, charger 230V AC, shoulder strap, case			

OPTIONAL ACCESSORIES:

B-THS0031 Li-Ion 7.4V 2600 mAh rechargeable battery, T-THS0021/31 230V AC charger, THS-ŁAD12/24 12/24V DC car charger



IP67 RATING



1 m IMPACT RESISTANCE



DUAL SOURCE SYSTEM



SWITCH LOCK

EN

Blitz LR11 is a handheld flashlight with a beam distance of 1100 m. It offers five operating modes and a runtime of up to 26 h. Equipped with a Dual Source System, it powers up by a 7.4V 2600 mAh Li-Ion battery or 3 x R14 (C) batteries. It emits an 1100 lm light output, and a reflector ensures even dispersion. It's rugged, with an IP67 rating for dust and water resistance and an impact resistance of 1 m. The battery can be charged in 4 h. It features a battery level indicator and a switch lock. Blitz LR11 is an excellent lighting solution for rescue services, security, and patrol operations, enabling efficient area searches and monitoring.

PL

Blitz LR11 to latarka ręczna o zasięgu do 1100 m. Oferuje pięć trybów pracy i czas działania do 26 h. Wyposażona w Dual Source System, może być zasilana akumulatorem Li-Ion 7.4V 2600 mAh lub bateriami 3 x R14 (C). Emituje strumień światła 1100 lumenów, a specjalne lustro zapewnia równomierne rozpraszanie. Klasa szczelności IP67 i odporność na upadki z 1 m. Czas ładowania akumulatora wynosi 4 h. Wyposażona została we wskaźnik naładowania baterii i blokadę włącznika. Blitz LR11 to doskonałe oświetlenie dla służb ratowniczych, ochrony i patrolowych, umożliwiając efektywne przeszukiwanie terenów i monitorowanie. Sprawdza się w inspekcjach technicznych i trudnych warunkach przemysłowych.

SNIPER 3.2

THH0062

ANSI FL1

420 lm

275 m



POWER SUPPLY	4 × AAA	
	LIGHT OUTPUT	RUN TIME
HIGH	420 lm	1 h 30 min
MEDIUM	210 lm	5 h
LOW	84 lm	12 h 10 min
ECO	21 lm	47 h
STROBE	-	90 h
DIMENSIONS	38 × 129 mm	
WEIGHT	127 g (without batteries), 172 g (with batteries)	
THE SET INCLUDES	batteries, handstrap	

OPTIONAL ACCESSORIES:


THH0062-CONE-R Signal cone (red)



**IP64
RATING**



**2 m IMPACT
RESISTANCE**



**SILENT
SWITCH**



**LAST SETTING
MEMORY**

EN

Sniper 3.2 is a handheld flashlight, ideal for hunting enthusiasts and outdoor activities. It emits a 420 lm light output, reaching a distance of up to 275 m. Powered by four AAA batteries, it is practical and easy to use, with a runtime of up to 47 h in Low mode. It operates in five modes. A flashlight has an IP64 rating for dust and water resistance. It is also impact resistance from a height of 2 m. The Focus function allows you to adjust the beam width, and the silent switch enables discreet operation. The last setting memory function adds convenience. Perfect for camping, survival, traffic control, and everyday use.

PL

Sniper 3.2 to latarka ręczna, idealna dla miłośników myślistwa i outdooru. Emituje strumień świetlny 420 lm, osiągając zasięg do 275 m. Zasilana czterema bateriami AAA, jest praktyczna i łatwa w użytkowaniu, działa do 47 h w trybie Low. Pracuje w pięciu trybach. Ma klasę szczelności IP64, jest odporna na upadki z wysokości 2 m. Funkcja Focus pozwala dopasować szerokość wiązki światła, a cichy wyłącznik umożliwia dyskretne operowanie. Funkcja pamięci ustawień ostatniego trybu zwiększa wygodę użytkowania. Idealna do turystyki, survivalu, kierowania ruchem i codziennego użytku, zapewniając jasne oświetlenie na dużych odległościach i wytrzymałą konstrukcję.

SNIPER 3.3

THH0064

ANSI FL1

1020 lm

225 m



POWER SUPPLY	18650 Li-Ion 3,7V 2800 mAh			
CHARGING TIME	4 h			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
BOOST	1020 lm	3 h 55 min	225 m	12864 cd
HIGH	600 lm	6 h 40 min	165 m	6706 cd
MEDIUM	310 lm	13 h 20 min	120 m	3545 cd
LOW	50 lm	56 h 50 min	50 m	570 cd
FLASHING	-	20 h	-	-
DIMENSIONS	29 x 150 mm			
WEIGHT	138 g (without batteries), 187 g (with batteries)			
THE SET INCLUDES	Li-Ion battery, USB-C cord, handstrap			

OPTIONAL ACCESSORIES:

RFF0017 Filter (red), RFF0018 Filter (green), THH0063-CONE-R Signal cone (red), THH0063-HOLSTER Holster, THH0064-BATTERY Li-Ion 3,7V 2800 mAh rechargeable battery



IP66 RATING



2 m IMPACT RESISTANCE



USB-C CHARGING



POWER BANK



SILENT SWITCH



SMOOTH FOCUS SYSTEM

EN

Sniper 3.3 is an advanced handheld flashlight, perfect for everyday use and professional activities. It emits 1020 lm with a range of up to 225 m. The Smooth Focus System allows for slick adjustment of the beam width. It has an IP66 rating for dust and water resistance. Impact resistance is from 2 m. Powered by a 2800 mAh 18650 Li-Ion battery (with USB-C), it runs up to 56 h and 50 min in Low mode. The flashlight can also function as a power bank. Optional accessories are red and green filters, a signal cone, and a holster. It's an excellent flashlight for service inspections, camping, outdoor activities, fishing, hunting, everyday use, patrolling, and rescue operations.

PL

Sniper 3.3 to zaawansowana latarka ręczna, idealna do codziennego użytku i profesjonalnych działań. Funkcja Smooth Focus System umożliwia płynną regulację szerokości wiązki światła, emitując 1020 lm z zasięgiem do 225 m. Pracuje w pięciu trybach. Latarka o klasie szczelności IP66 i odporności na upadki z 2 m. Zasilana jest akumulatorem 18650 Li-Ion o pojemności 2800 mAh (z USB-C), działa do 56 h 50 min w trybie Low. Latarka może pełnić funkcję power bank. Można ją doposażyć w filtry - czerwony i zielony, nakładkę sygnalizacyjną i kaburę. Jest idealna do przeglądów serwisowych, turystyki, outdooru, wędkarstwa, myślistwa, codziennego użytku, patroli i ratownictwa.

SNIPER 3.4

THH0012

ANSI FL1

600 lm

180 m



POWER SUPPLY	3 x AAA		
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE
HIGH	600 lm	2 h	180 m
LOW	180 lm	8 h	80 m
STROBE	600 lm	4 h	-
DIMENSIONS	110-120 x 27,5 x ø33 mm		
WEIGHT	105 g (without batteries), 139 g (with batteries)		
THE SET INCLUDES	batteries, holster, clip, handstrap		



IP66
RATING



2 m IMPACT
RESISTANCE



ADVANCE DIMMING
SYSTEM



FOCUS

EN

Sniper 3.4 is a handheld flashlight ideal for everyday use. It emits 600 lm of light with a beam distance of up to 180 m. Powered by three AAA batteries, it is practical and easy to use. It operates in three modes. It has an IP66 rating and 2 m impact resistance. The Advanced Dimming System allows for smooth adjustment of light intensity. The Focus function adjusts beam width, and the silent switch allows discreet operation. The flashlight remembers the last used mode. It comes with batteries, a holster, a clip, and a handstrap for convenience in the field.

PL

Sniper 3.4 to latarka ręczna idealna do codziennego użytku. Emituje 600 lm światła z zasięgiem do 180 m. Zasilana trzema bateriami AAA, jest praktyczna i łatwa w użytkowaniu. Pracuje w trzech trybach. Ma klasę szczelności IP66 i odporność na upadki z 2 m. Funkcja Advance Dimming System umożliwia płynną regulację natężenia światła. Z kolei Focus pozwala na regulację szerokości wiązki, a cichy wyłącznik umożliwia dyskretne operowanie. Latarka zapamiętuje ostatni używany tryb. Zasilana trzema bateriami AAA zapewnia wygodę w terenie. W zestawie są baterie, kabura, klips i pasek na rękę.

TRACER UV

THH0125

2 x 365 nm UV

1000 lm

115 m



POWER SUPPLY	18650 Li-Ion 3400 mAh		
CHARGING TIME	6 h		
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE
HIGH	1000 lm	3 h 42 min	115 m
MEDIUM	500 lm	5 h 36 min	-
LOW	100 lm	22 h	-
STROBE	-	3 h	-
2 x UV LED 365 nm	-	15 h	-
DIMENSIONS	131 x 37 x 26 mm		
WEIGHT	138 g (without batteries), 185 g (with batteries)		
THE SET INCLUDES	battery, USB cord		

OPTIONAL ACCESSORIES:

MAC0014 Universal charger, RAC0026 Li-Ion 3350 mAh rechargeable battery



IPX8
STANDARD



MICRO USB
CHARGING



UV
LED

EN

Tracer UV is a handy rechargeable tactical flashlight that emits both ultraviolet (UV) light and white LED light with a maximum light output of 1000 lm, reaching up to 115 m. The Strobe mode is perfect for self-defense. It has a long runtime of up to 22 h, thanks to a 3400 mAh Li-Ion battery, rechargeable via Micro USB. The flashlight has an IPX8 waterproof rating. It is designed for crime scene investigation, revealing traces invisible in normal light. Border and patrol services use it to inspect documents and detect forgeries. In everyday use, the UV diode helps verify the authenticity of banknotes.

PL

Tracer UV to poręczna akumulatorowa latarka taktyczna emitująca światło ultrafioletowe (UV) i białe LED o strumieniu świetlnym 1000 lm, z zasięgiem do 115 m. Tryb Strobe doskonale sprawdzi się do samoobrony. Ma długi czas działania (do 22 h), dzięki akumulatorowi Li-Ion o pojemności 3400 mAh, ładowanemu przez Micro USB. Latarka ma klasę szczelności IPX8. Jest stworzona do badania miejsc zbrodni, pozwalając ujawniać ślady niewidoczne w zwykłym świetle. Służby graniczne i patrolowe używają jej do inspekcji dokumentów i wykrywania fałszerstw. W codziennym użytku dzięki diodzie UV nadaje się do sprawdzania autentyczności banknotów.

DEFENDER IR

THH0126

940 nm IR

400 lm

132 m



POWER SUPPLY	18650 Li-Ion 3400 mAh / 2 x CR123A			
	LIGHT OUTPUT		RUN TIME	
	Li-Ion 3400 mAh	2 x CR123A	Li-Ion 3400 mAh	2 x CR123A
HIGH	400 lm	400 lm	2 h 30 min	2 h
LOW	50 lm	50 lm	20 h	18 h
IR LED HIGH	100 mW IR	100 mW IR	8 h	6 h 30 min
IR LED LOW	5 mW IR	5 mW IR	85 h	80 h
DIMENSIONS	147 x ø 35 mm			
WEIGHT	172 g			
THE SET INCLUDES	batteries			



IPX7 RATING



1,2 m IMPACT RESISTANCE



ALU HOUSING



DUAL SOURCE SYSTEM



IR LED

EN

Defender IR is a handheld flashlight that emits both white and infrared (IR) light. It facilitates identifying and tracking objects in the dark and works perfectly with night vision technologies. The flashlight has a high waterproof rating of IPX7 and is impact resistance from a height of 1.2 meters. It offers four operating modes and can be powered by two CR123A batteries or a 3400 mAh Li-Ion battery. The unique head design protects the emitter from damage. The flashlight is suitable for mounting weapons, making it ideal for soldiers, police officers, and special units. It is effective in military night operations, tactical missions, and airsoft.

PL

Defender IR to latarka ręczna emitująca światło białe i podczerwone (IR). Ułatwia identyfikację i śledzenie obiektów w ciemności oraz doskonale współgra z technologiami noktowizyjnymi. Latarka ma wysoką klasę szczelności IPX7 i jest odporna na upadki z wysokości 1,2 m. Oferuje cztery tryby pracy. Może być zasilana dwiema bateriami CR123A lub akumulatorem Li-Ion o pojemności 3400 mAh. Specjalna konstrukcja głowicy chroni emiter przed uszkodzeniem. Latarka jest przystosowana do montażu na broń, co czyni ją idealną dla żołnierzy, policjantów i jednostek specjalnych. Sprawdza się w nocnych operacjach wojskowych, misjach taktycznych oraz w airsofcie.

NIGHT HUNTER 03

THH0232

ANSI FL1

1150 lm

391 m



POWER SUPPLY	18650 Li-Ion 3400 mAh / 2 x CR123A	
CHARGING TIME	9 h	
	LIGHT OUTPUT	RUN TIME
BOOST	1150 lm	1 min
HIGH	915 lm	2 h
MEDIUM	457 lm	3 h 11 min
LOW	182 lm	6 h 30 min
ECO	18 lm	62 h 50 min
DIMENSIONS	45 x 155 mm	
WEIGHT	193 g (without batteries), 240 g (with batteries)	
THE SET INCLUDES	Li-Ion battery, handstrap	



IPX7
STANDARD



1,2 m IMPACT
RESISTANCE



DUAL SOURCE
SYSTEM



FOCUS

EN

Night Hunter 03 is an advanced tactical handheld flashlight for law enforcement, hunters, and outdoor enthusiasts. It is exceptionally rugged and resistant to mechanical damage, dust, and water (IPX7). It emits a powerful 1150 lm light output, reaching up to 390 m. The Focus function allows smooth adjustment of the beam width. The Dual Source System will enable it to be powered by two CR123A batteries or a 3400 mAh Li-Ion battery. It is perfect for military and police operations, terrain searches, patrols, and border security.

PL

Night Hunter 03 to zaawansowana taktyczna latarka ręczna, zaprojektowana dla służb mundurowych, myśliwych i entuzjastów outdooru. Jest wyjątkowo trwała i odporna na uszkodzenia mechaniczne, pył i wodę (IPX7), co czyni ją niezawodną w każdych warunkach. Emituje mocny strumień światła 1150 lm, osiągając zasięg do 390 m. Funkcja Focus umożliwia płynną regulację szerokości wiązki światła. Dual Source System pozwala na zasilanie za pomocą dwóch baterii CR123A lub akumulatora Li-Ion 3400 mAh. Sprawdza się doskonale w operacjach wojskowych i policyjnych, podczas przeszukiwania terenu, patroli i do ochrony granic.

PATROL CHARGER+ PRO

THH0054

ANSI FL1

1000 lm

340 m



POWER SUPPLY	18650 Li-Ion 3,7V 3350 mAh			
CHARGING TIME	4 - 10 h			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
BOOST	1000 lm	1 min	340 m	28685 cd
HIGH	800 lm	1 h 38 min	315 m	24175 cd
MEDIUM	350 lm	3 h	200 m	9705 cd
LOW	100 lm	9 h 30 min	110 m	3132 cd
STROBE	-	6 h	-	-
DIMENSIONS	185 × 47 × 31 mm			
WEIGHT	190 g (without batteries), 255 g (with batteries)			
THE SET INCLUDES	2 x Li-Ion battery, modular and peripheral charger, 230V AC charger, 12V DC car charger, wall docking station			

OPTIONAL ACCESSORIES:

THH0052-C Traffic cone (orange), THH0052-CY Traffic cone (yellow), THH0054B Li-Ion 3,7V 3350 mAh rechargeable battery



IP68
RATING



1 m
IMPACT
RESISTANCE



BLACKOUT
WARNING SYSTEM

EN

Patrol Charger+ Pro is a rugged, compact service flashlight designed for armed forces, such as police, military police, and security services. It brings a light output of 1000 lm, with a range of up to 340 m, and a Prefocus function. It features two switches: a side patrol switch and a rear tactical switch. The intelligent charging system allows for wall or vehicle mount installation. Powered by a 3350 mAh Li-Ion 18650 battery, it operates up to 9.5 h on a single charge. The flashlight has an IP68 waterproof rating. A knurled, rubberized handle makes this flashlight easy to hold. The crenelated bezel on the head prevents the flashlight from rolling.

PL

Patrol Charger+ Pro to wytrzymała, kompaktowa latarka służbowa przeznaczona dla formacji uzbrojonych, takich jak policja, żandarmeria wojskowa oraz służb ochrony. Emituje maksymalny strumień świetlny 1000 lm, z zasięgiem do 340 m i wiązką o kształcie Prefocus (silną skupioną wraz z szeroką, okalającą). Wyposażona jest w dwa włączniki: boczny patrolowy i tylny taktyczny. System inteligentnego ładowania pozwala na montaż uchwytu na ścianie lub w pojeździe. Zasilana akumulatorem Li-Ion 18650 o pojemności 3350 mAh, działa do 9,5 h na jednym naładowaniu. Klasa szczelności latarki to IP68. Wygodę zapewnia karbowana, ogumowana rękojeść. Koronka na głowicy zapobiega toczeniu się latarki.

PATROL LTD

THH0055

ANSI FL1

1000 lm

340 m



POWER SUPPLY	18650 Li-Ion 3,7V 3350 mAh			
CHARGING TIME	4 - 6 h			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
BOOST	1000 lm	1 min	340 m	28685 cd
HIGH	800 lm	1 h 38 min	315 m	24175 cd
MEDIUM	350 lm	3 h	200 m	9705 cd
LOW	100 lm	9 h 30 min	110 m	3132 cd
STROBE	-	6 h	-	-
DIMENSIONS	185 x 47 x 31 mm			
WEIGHT	190 g (without batteries), 255 g (with batteries)			
THE SET INCLUDES	Li-Ion battery, wall charging station, 230V AC charger, 12V DC car charger, handstrap			

OPTIONAL ACCESSORIES:

THH0052-C Traffic cone (orange), THH0052-CY Traffic cone (yellow), THH0054B Li-Ion 3,7V 3350 mAh rechargeable battery



IP68 RATING



1 m IMPACT RESISTANCE



BLACKOUT WARNING SYSTEM

EN

Patrol LTD to zaawansowana latarka ręczna dla służb prewencji, drogówki, żandarmerii wojskowej i agencji ochrony. Emituje strumień światła 1000 lm o zasięgu do 340 m. Wiązka o kształcie Prefocus zapewnia doświetlenie przestrzeni wokół skupionej wiązki. System Double Switch umożliwi korzystanie z bocznej lub tylnej włącznika. Inteligentne ładowanie zapewnia dostęp do zasilania z sieci lub gniazda ładowarki samochodowej. Klasa IP68 gwarantuje wodoodporność i pyłoszczelność, a karbowana gumowa rękojęść zapewnia pewny chwyt.

PL

Patrol LTD is an advanced handheld flashlight designed for law enforcement, traffic police, military police, and security agencies. It emits a 1000 lm light output with a range of up to 340 m. The Prefocus beam shape ensures illumination of the surrounding area of the focused beam. The Double Switch system allows the use of either the side or rear switch. Intelligent charging gives access to power from a grid or a car charger socket. The IP68 rating guarantees water and dust resistance, and the knurled rubber handle ensures a secure grip.

EXPERT PL3™

THH0022

ANSI FL1

800 lm

420 m



POWER SUPPLY	Li-Ion 3,7V 6000 mAh			
CHARGING TIME	6 h (5V 1A)			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
HIGH	800 lm	4 h	420 m	43560 cd
LOW	82 lm	26 h	136 m	4644 cd
STROBE	-	-	-	-
DIMENSIONS	48 x 239 mm			
WEIGHT	440 g (without batteries)			
THE SET INCLUDES	Li-Ion battery, USB cord, handstrap, wall docking station, magnetic charger			

OPTIONAL ACCESSORIES:

THH0022-CONE-W Traffic cone XL (white), THH0022-CONE-R Traffic cone XL (red), T-THH0022-NAKŁADKA Signal cone (red), THH0022-BATTERY Li-Ion 3,7V 6000 mAh rechargeable battery



EN

Expert PL3 is a handheld flashlight designed for law enforcement. The flashlight emits a light output from 82 to 800 lm, providing visibility up to 420 m. The Advance Dimming System (ADS) function allows for smooth light intensity adjustment. Covered by rubber and impact resistance from 2 m, the flashlight has a high waterproof rating of IPX7. It has a 6000 mAh battery, a handstrap, a USB cord, a base for a vehicle or wall installation, and a magnetic charger. Signal cones for traffic control are available separately. The flashlight is ideal for border patrol, search and rescue teams & intervention units.

PL

Expert PL3 to latarka ręczna, stworzona dla służb mundurowych. Łączy mocne oświetlenie, trwałość i funkcjonalność. Latarka emituje strumień świetlny od 82 do 800 lm, zapewniając widoczność do 420 m. Funkcja ADS umożliwia płynną regulację natężenia światła. Pokryta gumą i odporna na upadki z 2 m latarka ma wysoką klasę szczelności IPX7. Latarka wyposażona została w akumulator o pojemności 6000 mAh, pasek na rękę, przewód USB, bazę do instalacji w wozie lub na ścianie i ładowarkę magnetyczną. Poza zestawem dostępne są nakładki sygnalizacyjne. Latarka jest idealna dla straży granicznej, grup poszukiwawczych, interwencyjnych i patrolowych.

EXPERT PL5

THH0023

ANSI FL1

1100 lm

470 m



POWER SUPPLY	Li-Ion 3,7V 9000 mAh			
CHARGING TIME	8 h (5V 1A)			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
HIGH	1100 lm	7 h	470 m	54840 cd
LOW	110 lm	30 h	150 m	5624 cd
STROBE	-	-	-	-
DIMENSIONS	48 x 300 mm			
WEIGHT	560 g (without battery), 823g (with battery)			
THE SET INCLUDES	Li-Ion battery, USB cord, handstrap, wall docking station, magnetic charger			

OPTIONAL ACCESSORIES:

THH0022-CDNE-W Signal cone XL (white), THH0022-CDNE-R Signal cone XL (red), T-THH0022-NAKŁADKA Signal cone (red), THH0023-BATTERY Li-Ion 3,7V 9000mAh rechargeable battery



EN

Expert PL5 is a flashlight designed for intervention patrols, security services, police, and border guards. It has rugged construction, long runtime, and ergonomic design. It emits a light output from 110 to 1100 lm, with a range of up to 470 m. The ADS function provides smooth light intensity adjustment. It features an IPX7 waterproof rating. The flashlight weighs 823 grams with a 9000 mAh battery, which gives up to 30 hours of operation. The set includes a battery, handstrap, USB cord, docking station for a vehicle or wall installation, and a magnetic charger. Optional signal cones are available for traffic control.

PL

Expert PL5 to latarka dla patroli interwencyjnych, służb ochrony, policji i straży granicznej. Dzięki solidnej konstrukcji, długiemu czasowi świecenia i ergonomicznemu designowi, jest niezastąpionym narzędziem w trudnych warunkach. Emituje strumień świetlny od 110 do 1100 lm, z zasięgiem do 470 m. Funkcja ADS zapewnia płynną regulację natężenia światła. Charakteryzuje się klasą szczelności IPX7. Latarka waży 823 g wraz z akumulatorem o pojemności 9000 mAh, który zapewni do 30 h pracy. Zestaw zawiera akumulator, pasek na rękę, przewód USB, bazę dokującą do instalacji w pojeździe lub na ścianie oraz ładowarkę magnetyczną. Dostępne opcjonalnie nakładki sygnalizacyjne pozwolą na kierowanie ruchem.

TRUSTED BY PROS® 25

CYCLOPE II

THL0131

☀ 600 lm

◀ 90 m



POWER SUPPLY	16340 Li-Ion 700 mAh / CR123A		
CHARGING TIME	2 h		
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE
BOOST	600 lm	40 s	90 m
HIGH	240 lm	1 h 44 min	56 m
LOW	10 lm	5 h 4 min	11 m
STROBE	600 lm	2 h	90 m
DIMENSIONS	72,5 x 25,5 mm		
WEIGHT	57 g (with CR123A battery), 62 g (with Li-Ion battery)		
THE SET INCLUDES	Li-Ion battery, rubber strap, clip, USB magnetic cord, tail cap		

OPTIONAL ACCESSORIES:

B-THL0131 Li-Ion 700 mAh rechargeable battery, T-THL0131 Magnetic charger



EN

Cyclope II is a versatile EDC flashlight for bushcraft, outdoor activities, camping, airsoft, hunting, and survival enthusiasts. The 600-lumen light output provides bright, intense illumination, perfect for hiking in dense forests. The flashlight operates in three constant modes and a Strobe mode. A practical clip allows for attaching the flashlight to a pocket or gear. The headband and cap visor clip offer convenient carrying options. The durable housing ensures resistance to damage and has an IP65 waterproof rating. The flashlight has a 16340 Li-Ion battery (700 mAh) and a magnetic charging cord. Alternatively, it can be powered by a CR123A battery.

PL

Cyclope II to wszechstronna latarka EDC dla miłośników bushcraftu, outdooru, campingu, airsoftu, myślistwa i survivalu. Strumień świetlny 600 lm oferuje jasne, intensywne oświetlenie, idealne do wędrówek w gęstym lesie. Latarka pracuje w trzech trybach stałych o różnym natężeniu oraz trybie Strobe. Praktyczny klips umożliwia przypięcie latarki do kieszeni lub oporządzenia. Opaska na głowę oraz uchwyt do daszka czapki dają wygodę noszenia. Wytrzymała obudowa zapewnia odporność na uszkodzenia i klasę szczelności IP65. Latarka ma akumulator 16340 Li-Ion (700 mAh) i magnetyczny przewód ładujący. Alternatywnie, czołówka może być zasilana baterią CR123A.

SIRIUS H12

AHL0172

☀️ 1200 lm

◀️ 115 m



POWER SUPPLY	18650 Li-Ion 3,7V 3000 mAh			
CHARGING TIME	4 h			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
HIGH	1200 lm	2 h 30 min	115 m	3306 cd
MEDIUM	256 lm	5 h 10 min	52 m	676 cd
LOW	86 lm	28 h	31 m	240 cd
FIREFLY	3 lm	400 h	1,5 m	0,6 cd
STROBE	1200 lm	-	-	-
DIMENSIONS	84 x 29,5 mm			
WEIGHT	36 g (without batteries), 83 g (with batteries)			
THE SET INCLUDES	Li-Ion battery, USB magnetic cord, strap, o-rings			

OPTIONAL ACCESSORIES:

RAC0026 Li-Ion 3,7V 3350 mAh rechargeable battery, T-AHL0172 Magnetic charger



IP68 RATING



1 m IMPACT RESISTANCE



MAGNETIC CHARGING



LAST SETTING MEMORY

EN

Sirius H12 is a versatile flashlight that combines the functions of a lightweight headlamp, a compact EDC flashlight, and an angled camping lamp. It emits a powerful light up to 1200 lm, providing illumination up to 115 m. The flashlight weighs only 83 g with the battery. It features a magnetic charger, a battery level indicator, and a magnet in the base for convenient use. The IP68 rating ensures it is dustproof and waterproof. Additionally, it is impact resistance from 1 m. A headband allows the handheld flashlight to be transformed into a headlamp. Sirius H12 is ideal for survival, garage work, urban exploration, airsoft, and everyday use.

PL

Sirius H12 to wszechstronna latarka, łącząca funkcje lekkiej czołówki, kompaktowej latarki EDC i kątownej lampy biwakowej. Emituje mocne światło do 1200 lm, zapewniając oświetlenie na odległość 115 m. Latarka waży tylko 83 g z akumulatorem. Wyposażona została w magnetyczną ładowarkę, wskaźnik stanu naładowania i magnes w podstawie, które zapewniają wygodę użytkowania. Klasa szczelności IP68 gwarantuje pyłoszczelność i odporność na zanurzenie w wodzie. Dodatkowo jest odporna na upadki z 1 m. Opaska na głowę umożliwia przekształcenie latarki ręcznej w czołówkę. Sirius H12 jest idealna do survivalu, prac garażowych, eksploracji miejskich, airsoftu i użytku codziennego.

SIRIUS M10

THH0171

☀ 1000 lm

◀ 100 m



POWER SUPPLY	16340 Li-Ion 3,7V 650 mAh			
CHARGING TIME	1 h 30 min			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
HIGH	1000 lm	50 min	100 m	2552 cd
MEDIUM	140 lm	2 h	40 m	472 cd
LOW	40 lm	6 h 30 min	20 m	100 cd
FIREFLY	5 lm	100 h	-	-
STROBE	1000 lm	-	-	-
DIMENSIONS	56 x 20 mm			
WEIGHT	25 g (without batteries), 44,5 g (with batteries)			
THE SET INCLUDES	Li-Ion battery, USB magnetic cord, handstrap, clip			

OPTIONAL ACCESSORIES:

T-AHL0172 Magnetic charger



IPX8
RATING



1 m IMPACT
RESISTANCE



MAGNETIC
CHARGING



LAST SETTING
MEMORY

EN

Sirius M10 is a compact EDC flashlight that impresses with its intense 1000 lm light output and a range of up to 100 m. It fits entirely in the hand and weighs 44,5 g with the battery. Equipped with a mode memory function, it allows quick access to your preferred setting, and the switch lock prevents accidental discharge. The body is rugged and waterproof (IPX8). A magnet in the base allows attachment to metal surfaces. The set includes a 16340 Li-Ion battery with a capacity of 650 mAh, providing up to 100 h of operation in the lowest Firefly mode. Great for bushcraft, hiking, and as an everyday carry flashlight.

PL


Sirius M10 to kompaktowa latarka EDC, która imponuje intensywnym strumieniem świetlnym 1000 lm i zasięgiem do 100 m. Całkowicie mieści się w dłoni i waży 44,5 g wraz z akumulatorem. Wyposażona w funkcję zapamiętywania trybu, umożliwia szybki dostęp do preferowanego ustawienia, a blokada włącznika zapobiega przypadkowemu rozładowaniu. Korpus jest wytrzymały i wodoodporny (IPX8). Magnes w podstawie umożliwia mocowanie do metalowych powierzchni. Zestaw zawiera akumulator 16340 Li-Ion o pojemności 650 mAh, zapewniający do 100 h pracy w najniższym trybie Firefly. Idealna do bushcraftu, wędrowek i jako latarka codziennego użytku.

SIRIUS T25

THH0172

☀ 2500 lm

◀ 360 m



POWER SUPPLY	21700 Li-Ion 3,7V 5000 mAh			
CHARGING TIME	6 h 30 min			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
EXTREME HIGH	2500 lm	2 h 48 min	360 m	37400 cd
HIGH	700 lm	3 h	125 m	4096 cd
MEDIUM	160 lm	16 h	75 m	1406 cd
FIREFLY	3 lm	1000 h	-	-
STROBE	2500 lm	-	-	-
DIMENSIONS	112 x 30 mm			
WEIGHT	53 g (without batteries), 124 g (with batteries)			
THE SET INCLUDES	Li-Ion battery, USB magnetic cord, clip			

OPTIONAL ACCESSORIES:
T-AHL0172 Magnetic charger



EN

Sirius T25 is a high-performance, handheld flashlight generating 2500 lm with a range of up to 360 m. Its lightweight and ergonomic design ensures comfort, while intelligent features like mode memory and a switch lock enhance its functionality. The 21700 Li-Ion 5000 mAh battery, charged via a magnetic USB cord, offers up to 1000 h of operation. The IP68 rating guarantees reliability in extreme conditions, and the magnet in the base allows attachment to metal surfaces. The stylish sand-colored housing is impact resistant from 1 meter. Sirius T25 is the ideal flashlight for bushcraft, hiking, hunting, and survival.

PL

Sirius T25 to wydajna latarka ręczna generująca 2500 lm, z zasięgiem do 360 m. Lekka i ergonomiczna konstrukcja zapewnia komfort, a inteligentne funkcje, jak zapamiętywanie ostatniego używanego trybu pracy i blokada włącznika, które podnoszą funkcjonalność latarki. Akumulator 21700 Li-Ion 5000 mAh, ładowany jest magnetycznym przewodem USB, oferuje do 1000 h działania. Klasa szczelności IP68 gwarantuje niezawodność w ekstremalnych warunkach, a magnes w podstawie umożliwia mocowanie na metalowych powierzchniach. Stylowa piaskowa obudowa jest odporna na upadki z 1 metra. Sirius T25 to idealna latarka do bushcraftu, wędrowek, myślistwa i survivalu.

X-PISTOL GEN2

PSL0022

ANSI FL1

1500 lm

530 m



POWER SUPPLY	Li-Ion 3,7V 5400 mAh			
CHARGING TIME	3 - 5 h			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
HIGH	1500 lm	1 h	530 m	72000 cd
MEDIUM	800 lm	3 h	-	-
LOW	400 lm	5 h	-	-
FLASHING	-	10 h	-	-
DIMENSIONS	146 x 101 x 196 mm			
WEIGHT	752 g [with battery]			
THE SET INCLUDES	USB cord			

OPTIONAL ACCESSORIES:

PSL0021WM Wall mount



IPX6
RATING



1 m IMPACT
RESISTANCE



MICRO USB
CHARGING



FOCUS

EN

X-Pistol GEN2 is a rechargeable searchlight, emitting a maximum light output of 1500 lm with a range of up to 530 m. Equipped with a Focus function, it allows for adjusting the beam width. The built-in 5400 mAh Li-Ion battery provides up to 5 h of continuous operation. The charging time is 3 to 5 h via the Micro-USB port. Its solid construction and IPX6 rating make it resistant to mechanical damage and harsh weather conditions. The multifunctional pistol grip allows for comfortable holding or placing of the flashlight. X-Pistol GEN2 is indispensable for rescue operations, search missions, and industrial inspections.

PL

X-Pistol GEN2 to spherac akumulatowy, emitujący maksymalny strumień świetlny 1500 lm, z zasięgiem do 530 m. Wyposażony w funkcję Focus, umożliwia regulację szerokości wiązki światła. Wbudowany akumulator Li-Ion o pojemności 5400 mAh zapewnia do 5 h ciągłego działania, z czasem ładowania od 3 do 5 h przez port Micro-USB. Solidna konstrukcja i klasa szczelności IPX6 czynią go odpornym na uszkodzenia mechaniczne i trudne warunki pogodowe. Wielofunkcyjny uchwyt pistoletowy umożliwia wygodne trzymanie lub postawienie latarki. X-Pistol GEN2 jest niezastąpiony w akcjach ratunkowych, poszukiwawczych oraz w inspekcjach przemysłowych.

VANGUARD JML

PSL0032

1600 lm

800 m



REAR RED LED



POWER SUPPLY	Li-Ion 7,4V 6600 mAh	
CHARGING TIME	230V AC HIGH - 10 h, 12V DC HIGH - 24 h	
	LIGHT OUTPUT	RUN TIME
HIGH	1600 lm	3 h 30 min
REAR RED LED FLASHING	-	240 h
DIMENSIONS	226 × 165 × 179 mm	
WEIGHT	967 g	
THE SET INCLUDES	230V AC charger, 12V DC car charger, shoulder strap	

OPTIONAL ACCESSORIES:

PSL0031B Li-Ion 7,4V 6600 mAh rechargeable battery

 **IPX4 RATING**

EN

Vanguard JML is a rechargeable searchlight emitting 1600 lm of light with a range of up to 800 m. A shoulder strap and pistol grip allow for comfortable operation. The rear signal light enhances safety in low-visibility conditions. The lamp is dustproof and waterproof (IP54). It operates for 3.5 h at full power and up to 240 h in signaling mode (flashing red rear light). The set includes two chargers (one for mains charging and another for car charging) and a shoulder strap. This searchlight is ideal for rescue operations, search missions, and industrial use. It is also effective for signaling position from a long distance in the dark.

PL

Vanguard JML to ładowalny szperacz emitujący światło 1600 lm o zasięgu do 800 m. Pasek na ramię i uchwyt pistoletowy umożliwiają wygodne operowanie lampą. Tylnie światło sygnalizacyjne zwiększa bezpieczeństwo w warunkach ograniczonej widoczności. Lampa jest pyłoodporna i wodoodporna w klasie IP54. Działa 3,5 h na pełnej mocy i aż do 240 h w trybie sygnalizacyjnym (czerwone światło tylne, migające). Zestaw zawiera dwie ładowarki, sieciową i samochodową oraz pasek na ramię. Szperacz jest idealny do ratownictwa, przemysłu, energetyki i akcji poszukiwawczych. Sprawdzi się także do sygnalizowania z daleka obecności w ciemności.

FLAGGER MAX

PSL0073

ANSI FL1

1800 lm

900 m

NEW!



POWER SUPPLY	Li-Ion 3,7V 5200 mAh			
CHARGING TIME	4 - 5 h			
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE	PEAK BEAM INTENSITY
WHITE SPOT HIGH	1800 lm	4 h	900 m	72000 cd
WHITE SPOT MEDIUM	900 lm	8 h	470 m	-
WHITE SPOT FLASHING	1800 lm	8 h	900 m	-
WHITE FLOOD HIGH	300 lm	11 h 30 min	200 m*	-
WHITE FLOOD MEDIUM	150 lm	23 h	100 m*	-
ORANGE FLOOD HIGH	30 lm	15 h 30 min	300 m*	-
ORANGE FLOOD FLASHING	30 lm	35 h	300 m*	-
DIMENSIONS	189 x 98 x 121 mm			
WEIGHT	545 g (with battery)			
THE SET INCLUDES	battery, USB-C cord, shoulder strap			

*visibility

OPTIONAL ACCESSORIES:

T-UCHWYT-MAGNETYCZNY Magnetic mount



IP66 RATING




1 m IMPACT RESISTANCE



USB-C CHARGING



FLOATING



SWITCH LOCK



MEMORY SETTING



POWER BANK



BATTERY LEVEL INDICATOR

EN

Flagger Max is a searchlight with an 1800 lm light output and a range of up to 900 m. The Prefocus function provides a focused beam and a wide beam around it to illuminate the field of view. The COB LED panel emits both diffuse white light and orange signal light. A 5200 mAh battery works as a power bank. The searchlight has an IP66 rating for dust and water resistance, an impact resistance (1 m), and floats on water. Charging is possible via a USB-C port. A shoulder strap and optional magnetic mount enhance the flashlight's mobility. Flagger Max is a rugged tool for patrolling, search and rescue missions, signaling, nighttime inspections, repairs, and tactical operations.

PL

Flagger Max to szperacz o strumieniu świetlnym 1800 lm i zasięgu do 900 m. Funkcja Prefocus zapewnia silną wiązkę skupionego światła i szeroką wiązkę doświetlającą pole widzenia. Panel COB LED emituje białe światło rozproszone i pomarańczowe sygnalizacyjne. Akumulator 5200 mAh działa jako power bank. Szperacz ma klasę szczelności IP66, odporność na upadki z 1 m i unosi się na wodzie. Ładowanie odbywa się przez port USB-C. Pasek naramienny i opcjonalny uchwyt magnetyczny zwiększają mobilność latarki. Flagger Max to niezawodne narzędzie do patrolowania, akcji poszukiwawczych, sygnalizacji, inspekcji nocnych, napraw i operacji taktycznych.

FLAGGER MINI

PHH0134

ANSI FL1

500 lm

30 m

NEW!



POWER SUPPLY	Li-Po 3,7V 450 mAh		
CHARGING TIME	2 - 2 h 30 min		
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE
BOOST	500 lm	30 s	30 m
COB LED HIGH	300 lm	2 h	22 m
COB LED MEDIUM	100 lm	4 h	12 m
COB LED LOW	30 lm	6 h	7 m
WARM COB LED HIGH	300 lm	2 h	23 m
WARM COB LED MEDIUM	100 lm	4 h	12 m
WARM COB LED LOW	20 lm	6 h	6 m
RED COB LED FLASHING	-	-	-
DIMENSIONS	25 x 5 x 101 mm		
WEIGHT	35 g (with battery)		
THE SET INCLUDES	USB-C cord		



IPX4 RATING



1m IMPACT RESISTANCE



USB-C CHARGING



COMPACT SIZE



CLIP



MAGNET

EN

Flagger Mini is a compact, multi-purpose handheld flashlight with an right-angled design, emitting a maximum light output of 500 lm. It offers eight operating modes, including warm and cool white light at various brightness levels and flashing red signal light. Powered by a 450 mAh Li-Po battery, it provides up to 6 h of operation. Weighing 35 g, it is perfect for everyday carry. A magnet in the base allows attaching a flashlight to metal surfaces, and a clip enables attachment to a belt or pocket. Ideal for workshops, cars, daily use, and dog walks.

PL

Flagger Mini to kompaktowa, wielozadaniowa latarka ręczna, kątowna emitująca światło o maksymalnym strumieniu 500 lm. Oferuje 8 trybów działania, w tym światło białe ciepłe i zimne białe o różnych poziomach jasności oraz czerwone światło migające (sygnalizacyjne). Zasilana akumulatorem Li-Po 450 mAh, zapewnia do 6 h pracy. Waży 35 g, co czyni ją idealną do codziennego noszenia (EDC). Magnes w podstawie umożliwia przymocowanie do metalowych powierzchni, a klips pozwala na przypięcie do paska czy kieszeni. Idealna do warsztatu, samochodu, codziennego użytku i na spacer z psem, zapewniając dodatkowe bezpieczeństwo dzięki pracy w trybie czerwonym, migającym.

TRUSTED BY PROS® 33

FLAGGER

PHH0072

500 lm

154 m



POWER SUPPLY	Li-Po 3,7 V 1500 mAh	
CHARGING TIME	2 h 40 min	
	LIGHT OUTPUT	RUN TIME
WHITE LED	150 - 500 lm	2 h 30 min - 6 h
RED COB	-	7 h 30 min - 15 h
GREEN COB	-	7 h 30 min - 15 h
DIMENSIONS	107,5 x 47 x 36,5 mm	
WEIGHT	111 g	
THE SET INCLUDES	built-in magnet, USB-C cord, hook, clip	



EN

Flagger is a compact, rechargeable handheld flashlight with a right-angled design and signaling function, offering three light colors: white, red, and green. It emits a light output of up to 500 lm, providing visibility up to 154 m. The Advanced Dimming System (ADS) allows for smooth brightness adjustment. The built-in 1500 mAh Li-Po battery, rechargeable via USB-C port, offers up to 15 hours of operation. It features a clip, hook, and two magnets for versatile use. The flashlight is handy and versatile. Flagger is popular with firefighters, police, emergency medical services, and railway workers, providing reliable lighting and vivid signaling.

PL

Flagger to kompaktowa, ładowalna latarka ręczna, kątowna z funkcją sygnalizacyjną, oferująca trzy kolory światła: białe, czerwone i zielone. Emituje strumień świetlny do 500 lm, zapewniając widoczność na odległość do 154 m. Dzięki funkcji Advance Dimming System (ADS), można płynnie regulować jasność światła. Wbudowany akumulator Li-Po 1500 mAh, ładowany przez USB-C, pozwala na pracę do 15 h. Wyposażona jest w klips, hak i dwa magnesy. Latarka jest poręczna i wszechstronna. Flagger jest popularny w straży pożarnej, policji, ratownictwie medycznym i na kolei. Zapewnia niezawodne światło i wyraźną sygnalizację.

FLAGGER 650

PHH1073

500 lm

154 m



POWER SUPPLY	Li-Po 3,7 V 1500 mAh	
CHARGING TIME	2 h 42 min	
	LIGHT OUTPUT	RUN TIME
WHITE LED COB	200 lm	7 h
WHITE LED	500 - 150 lm	2 h 30 min - 6 h
DIMENSIONS	107,5 x 47 x 36,5 mm	
WEIGHT	109 g	
THE SET INCLUDES	built-in magnet, USB-C cord, hook, clip	



IPX3 RATING



USB-C CHARGING



OIL-RESISTANT BUTTONS



ADVANCE DIMMING SYSTEM



BATTERY CHARGING INDICATOR



BATTERY LIFE INDICATOR



CLIP



HOOK



MAGNET

EN

Flagger 650 is a rechargeable handheld and right-angle flashlight designed for train drivers, railway traction units, and paramedics, but it's also valid for everyday use. Compact and functional, it has two white light sources: the main LED with an Advanced Dimming System (150-500 lm) and a COB panel (200 lm). The maximum light range is 154 m. The 1500 mAh Li-Po battery provides up to 2.5 h of operation at maximum brightness and up to 7 h with the COB panel. A single switch controls it. It features a clip, hook, and two magnets for versatile use. The Flagger 650 is charged via a USB-C port, next to which is a battery level indicator.

PL

Flagger 650 to ładowalna latarka ręczna, kątowna. Stworzona dla maszynistów, drużyn trakcyjnych oraz ratowników medycznych, jest użyteczna także do codziennego użytku. Kompaktowa i funkcjonalna, ma dwa źródła światła białego: główną diodę z funkcją Advance Dimming System (150-500 lm) i panel COB (200 lm). Maksymalny zasięg światła wynosi 154 m. Akumulator Li-Po 1500 mAh zapewnia do 2,5 h pracy przy maksymalnej jasności i do 7 h z panelem COB. Sterowanie odbywa się jednym przyciskiem. Wyposażony jest w klips, hak i dwa magnesy. Flagger 650 ładowany jest przy pomocy gniazda USB-C obok którego znajduje się wskaźnik poziomu naładowania.

GALAXY 3.2

RDL0013-1

4500 lm



LIGHT OUTPUT	4500 lm
POWER SUPPLY	230V AC / 50-60 Hz
POWER	30W
CONNECT MULTIPLE LAMPS	10 lamps
OPERATING TEMPERATURE	od -35° C do +50° C
LIFETIME	80 000 h
HOUSING	aluminum, polycarbonate
WEIGHT	2,23 kg
THE SET INCLUDES	lamp, hanging metal string with lamp mounts and SCHUKO IP68 connectors, on/off switch and 5 meter power/connecting cable; each lamp can be individually turned on and off; the lamp can be used as stand alone or placed in a daisy chain link with attached connecting cords



EN

Galaxy 3.2 is a lamp designed for military shelters, evacuation tents, and field hospitals. It emits 4500 lm of white light, perfectly illuminating interiors. The Galaxy system allows for connecting up to 10 lamps, each with an individual switch and a 5 m power cord with a Schuko connectors (IP68). The aluminum and polycarbonate housing guarantees the mechanical resistance of IK10, and the IP66 rating protects against dust and strong water jets from any direction. The lamp operates in temperatures ranging from -35°C to +50°C. A 230V AC mains power consumes 30W of power and has a lifetime of 80,000 hours.

PL

Galaxy 3.2 to lampa przeznaczona do namiotów wojskowych, ewakuacyjnych i szpitali polowych. Emituje 4500 lm białego światła, idealnie oświetlając wnętrza. System Galaxy umożliwia łączenie do 10 lamp, z których każda ma indywidualny włącznik i przewód zasilający 5 m ze złączami Schuko (IP68). Obudowa z aluminium i poliwęglanu gwarantuje odporność mechaniczną IK10, a klasa szczelności IP66 zapewnia ochronę przed pyłem i silnymi strumieniami wody z dowolnego kierunku. Lampa pracuje w zakresie temperatur od -35°C do +50°C. Zasilana z sieci 230V AC, zużywa 30W mocy i ma żywotność 80 000 h.

GALAXY 3.3

RDL0013-3

☀ 4100 lm



LIGHT OUTPUT	4100 lm
POWER SUPPLY	230V AC / 50-60 Hz
POWER	30W
CONNECT MULTIPLE LAMPS	10 lamps
OPERATING TEMPERATURE	od -35° C do +50° C
LIFETIME	80 000 h
HOUSING	aluminum, polycarbonate
WEIGHT	2,23 kg
THE SET INCLUDES	lamp with power outage back-up at 1000 lm for 1,5 hour, hanging metal string with lamp mounts and SCHUKO IP68 connectors, on/off switch and 5 meter power/connecting cable; each lamp can be individually turned on and off; the lamp can be used as stand alone or placed in a daisy chain link with attached connecting cords



EN

Galaxy 3.3 tent lamp is designed to operate in harsh conditions within military tents, evacuation shelters, and field hospitals. It emits 4100 lm of white light, providing adequate illumination for large interiors. Equipped with a switch and a 5 m power cord with Schuko connectors (IP68), it can operate independently or as part of a system with other Galaxy lamps. The built-in battery ensures over 1 h of operation at 1000 lm in emergency mode. The aluminum and polycarbonate housing guarantees mechanical resistance (IK10) and water & dust resistance (IP68). It operates in temperatures ranging from -35°C to +50°C. Powered by 230V AC, it consumes 30W of power and has a lifetime of 80,000 h.

PL

Galaxy 3.3 została stworzona do pracy w trudnych warunkach w namiotach wojskowych, ewakuacyjnych i szpitalach polowych. Emituje 4100 lm białego światła, zapewniając efektywne oświetlenie obszernych wnętrz. Wyposażona we włącznik i 5-metrowy przewód zasilający ze złączami Schuko, może działać samodzielnie lub w systemie z innymi lampami Galaxy. Wbudowany akumulator zapewnia ponad 1 h działania przy 1000 lm w trybie awaryjnym. Obudowa z aluminium i poliwęglanu gwarantuje odporność mechaniczną IK10, z klasą szczelności IP68. Działa w zakresie temperatur od -35°C do +50°C. Zasilana prądem 230V AC, zużywa 30W mocy i ma żywotność 80 000 h.


TOWER BEAM

PFL0300


☀️ 12000 lm

◀️ 40 m

NEW!



POWER SUPPLY	AC 230V / Li-Ion 24,5V, 4 Ah		
CHARGING TIME	3 h 40 min		
	LIGHT OUTPUT	RUN TIME	BEAM DISTANCE
	AC 230V		
ADS	0-12000 lm	-	-
	Li-Ion 24,5V, 4 Ah		
BOOST	6000 lm	4 h	40 m
HIGH	3500 lm	8 h	20 m
MEDIUM	2200 lm	20 h	10 m
LOW	600 lm	45 h	5 m
DIMENSIONS	1070 x 240 x 300 mm		
WEIGHT	6300 g		
THE SET INCLUDES	battery, AC charger 230V, AC driver 230V, anchor pins (10 pcs.), HD transport bag		



EN

Tower Beam is a portable, battery-powered lighting system for industrial, rescue, and inspection applications. It features two rotatable heads on an adjustable tripod with a height of up to 2,3 m, offering four operating modes and a light range of 40 m in Boost mode. The Hybrid Power Mode allows power from the mains (230V) or a replaceable Li-Ion 24,5V 4Ah battery, which charges in 3 h and 40 m. The Advanced Dimming System allows smooth, light intensity adjustment from 0 to 12,000 lm. The system has an IP66. It includes hanging hooks, a phone stand, and two USB ports with a power bank function. The set has a 230V AC charger, battery, 230 AC driver, anchor pins, and a HD transport bag.

PL

Tower Beam to przenośny akumulatorowy system oświetleniowy do zastosowań przemysłowych, ratowniczych i inspekcyjnych. Najaśnica ma dwie ruchome główki na regulowanym statywie o wys. do 2,3 m. Oferuje 4 tryby pracy i zasięg światła 40 m w trybie Boost. Funkcja Hybrid Power Mode umożliwiła zasilanie z sieci (230V) lub wymiennego akumulatora Li-Ion 24,5V 4Ah, który ładuje się w 3 h 40 min. Advanced Dimming System pozwala na płynną regulację natężenia światła od 0 do 12 000 lm. Najaśnica ma klasę szczelności IP66. Zawiera uchwyty do zawieszania, stojak na telefon i dwa gniazda USB z funkcją power bank. Zestaw zawiera sterownik AC 230V, akumulator, ładowarkę, szpilki do zakotwienia i torbę transportową.

DUAL BEAM

PWL0081

ANSI FL1

4500 lm

80 m



POWER SUPPLY	Li-Ion 14,8V 5200 mAh	
CHARGING TIME	3 h 30 min	
	LIGHT OUTPUT	RUN TIME
HIGH	4500 lm	2 h
MEDIUM	3000 lm	3 h 30 min
LOW	1500 lm	6 h
ECO	750 lm	12 h
DIMENSIONS	288 x 176 x 131 mm	
WEIGHT	2140 g (with battery), 1596 g (without battery)	
THE SET INCLUDES	battery, USB cord, charger	

OPTIONAL ACCESSORIES: B-PWL0081 Li-Ion 14,8V 5200 mAh, rechargeable battery, PWL0081-MASZT2 3 m tripod with adapter, PWL0081M Magnetic mount, T-PWL0081-230V - 230V charger



EN

Dual Beam is a versatile workshop and renovation lamp with a power bank function. Two COB LED panels emit a light output of 4500 lm. The design features movable heads (180 degrees) and a tilting base (90 degrees) for precise light positioning. Powered by a 5200 mAh Li-Ion battery, it operates up to 12 h in Eco mode. Water and dust resistance (IP54) and impact resistance from 2 m ensure its reliability. Optional accessories, such as a 3 m mast and magnetic mount, enhance the lamp's functionality. It is ideal for illuminating work areas in challenging conditions, including workshops, industrial halls, and construction sites.

PL

Dual Beam to wszechstronna lampa warsztatowo-remontowa z funkcją power banku. Dwa panele COB LED emitują strumień świetlny 4500 lm. Konstrukcja z ruchomymi głowicami (180 stopni) i odchylaną podstawą (90 stopni) umożliwia precyzyjne ustawienie światła. Zasilana akumulatorem Li-Ion 5200 mAh, działa do 12 h w trybie Eco. Odporność na wodę i pył (IP54) oraz na upadki z wysokości 2 m zapewniają jej niezawodność. Opcjonalne akcesoria, takie jak maszty i uchwyt magnetyczny, podnoszą funkcjonalność lampy. Jest ona idealna do oświetlenia miejsc pracy w trudnych warunkach, w tym warsztatów, hal przemysłowych i placów budowy.

MONSTER LIGHT 360 SINGLE

PFL0235

☀ 24000 lm



POWER SUPPLY	built-in battery 50 Ah	
CHARGING TIME	6 - 7 h	
	LIGHT OUTPUT	RUN TIME
BOOST	24 000 lm	2 h 47 min
HIGH	20 000 lm	4 h 10 min
MEDIUM	15 000 lm	6 h 15 min
MEDIUM LOW	10 000 lm	8 h 20 min
LOW	2 000 lm	41 h 40 min
MEDIUM FLASHING	10 000 lm	16 h 40 min
RED LED STAND BY	-	1388 h 54 min
DIMENSIONS	650 x 540 x 300 mm	
WEIGHT	29,85 kg	
THE SET INCLUDES	1 x head, 1 x telescopic mast, 3 x diffuser, 230V charger, case	

☔ IP66 RATING

DIFFUSERS:

○ FLOOD ● ORANGE ● RED

EN

Monster Light 360 Single is ideal for illuminating work areas in industrial settings, rescue operations, and field operations for uniformed services. The system features a three-segment head on a telescopic mast, providing a light output of 24,000 lm in Boost mode. Each segment of the head can be adjusted both vertically and horizontally. The built-in battery offers over 41 h of operation in Low mode. The system provides five steady light modes, a flashing mode and a red light mode. The 50 Ah battery charges in 6-7 h. The spotlight has an IP66 rating for dust and water resistance. The set includes the head, telescopic mast, diffusers, 230V charger, and a durable carrying case.

PL

Monster Light 360 Single to system oświetleniowy stworzony do pracy w najcięższych warunkach. Idealny do oświetlania miejsc pracy w przemyśle, akcji ratunkowych i operacji służb mundurowych w terenie. Ma trójdzielną głowicę na teleskopowym maszcie, zapewniającą strumień światła 24 000 lm w trybie Boost. Każdy segment głowicy można regulować w pionie i poziomie. Wbudowany akumulator zapewnia ponad 41 h pracy w trybie Low. System oferuje pięć trybów stałego światła oraz tryb migający i światła czerwonego. Akumulator 50 Ah ładuje się w 6-7 h. Najszybciej ma klasę szczelności IP66. Zestaw zawiera głowicę, maszt, dyfuzory, ładowarkę 230V i wytrzymałą walizkę.

MONSTER LIGHT 360 TWIN

48000 lm

PFL0237



POWER SUPPLY	built-in battery 50 Ah	
CHARGING TIME	7 - 8 h	
	LIGHT OUTPUT	RUN TIME
BOOST	48 000 lm	1 h 23 min
HIGH	40 000 lm	2 h 4 min
MEDIUM	30 000 lm	3 h 8 min
MEDIUM LOW	20 000 lm	4 h 10 min
LOW	4 000 lm	20 h 50 min
MEDIUM FLASHING	2 000 lm	8 h 20 min
RED LED STAND BY	-	694 h 24 min
DIMENSIONS	650 x 540 x 300 mm	
WEIGHT	30,75 kg	
THE SET INCLUDES	2 × head, 2 × telescopic mast, 6 × diffuser, 230V charger, case	

 IP66 RATING

DIFFUSERS:

 FLOOD  ORANGE  RED

EN

Monster Light 360 Twin is an advanced portable lighting system designed for uniformed services, rescue operations, and industrial use. It has two three-segment heads on telescopic masts, allowing precise lighting adjustments. In Boost mode, the spotlight generates 48,000 lumens. The built-in 50 Ah battery provides up to 20 h and 50 min of operation in Low mode, with a charging time of 7-8 h. The IP66 rating ensures protection against dust and water. The set includes two heads, two masts, six diffusers, a 230V charger, and a durable carrying case.

PL

Monster Light 360 Twin to zaawansowany przenośny system oświetleniowy dla służb mundurowych, ratowniczych i przemysłu. Wyposażony jest w dwie trójdzielne głowice na teleskopowych masztach, pozwalające na precyzyjne ustawienie oświetlenia. Najsilniejsza w trybie Boost generuje 48 000 lm. Wbudowany akumulator 50 Ah zapewnia do 20 h i 50 min pracy w trybie Low, a jego ładowanie trwa 7-8 h. Klasa szczelności IP66 chroni przed pyłem i wodą. Zestaw zawiera dwie głowice, dwa maszty, sześć dyfuzorów, ładowarkę 230V i wytrzymałą walizkę. Najświetniejsza jest idealna do oświetlania miejsc pracy, akcji ratunkowych i operacji służb mundurowych.

MONSTER LIGHT MIDI

PFL0144-USB

14400 - 18000 lm

150 m



POWER SUPPLY	Li-Ion 14,8V 54,4 Ah	
CHARGING TIME	6 - 7 h	
	LIGHT OUTPUT	RUN TIME
BOOST	18 000 lm	4 h
HIGH	14 400 lm	5 h
MEDIUM	10 800 lm	6 h 15 min
MEDIUM LOW	7 200 lm	9 h 15 min
LOW	1 440 lm	49 h
MEDIUM FLASHING	7 200 lm	17 h 30 min
RED LED STAND BY	-	970 h
DIMENSIONS	520 × 410 × 210 mm	
WEIGHT	14,8 kg	
THE SET INCLUDES	battery, 2 x USB, 1 x head, 1 x telescopic mast, 3 x diffuser, 230V charger, case	

 **IP66 RATING**

 **BATTERY LIFE INDICATOR**

 **USB PORT**

DIFFUSERS:

 **FLOOD**  **ORANGE**  **RED**

EN

Monster Light Midi is an advanced lighting system with a maximum light output of 18,000 lm, ideal for industrial use, the energy sector, fire departments, rescue operations, and uniformed services. Seven operating modes, including Red LED Stand By, provide versatility for various applications. The 54.4 Ah battery allows up to 4 h of operation in Boost mode and 49 h in Low mode. The IP66 rating ensures resistance to water and dust. The device also functions as a power bank with two built-in USB ports. An optional harness set allows for easy portability. The set includes diffusing filters, a telescopic mast, a 230V charger, and a carrying case.

PL

Monster Light Midi to zaawansowany system oświetleniowy o maksymalnym strumieniu światła 18 000 lm, idealny dla przemysłu, energetyki, straży pożarnej, ratownictwa i służb mundurowych. Siedem trybów pracy, w tym Red LED Stand By, zapewnia wszechstronność zastosowań. Dzięki akumulatorowi 54,4 Ah działa do 4 h w trybie Boost i 49 h w trybie Low. Klasa szczelności IP66 gwarantuje odporność na wodę i pył. Urządzenie pełni funkcję power banku dzięki dwóm wbudowanym portom USB. Opcjonalny zestaw szelek umożliwia łatwe przenoszenie. W skład zestawu wchodzi filtr rozpraszający, teleskopowy maszt, ładowarka 230V i walizka transportowa.

MONSTER LIGHT MINI

PFL0151-E

☀️ 14400 - 18000 lm



POWER SUPPLY	Lead Acid 12V, 24 Ah	
CHARGING TIME	100-240V AC HIGH - 8 h	
	LIGHT OUTPUT	RUN TIME
BOOST	18 000 lm	1 h 45 min
HIGH	14 400 lm	2 h 22 min
MEDIUM	10 080 lm	2 h 37 min
MEDIUM LOW	7 200 lm	4 h 15 min
LOW	1 440 lm	23 h 15 min
MEDIUM FLASHING	7 200 lm	7 h 45 min
RED LED STAND BY	-	450 h
DIMENSIONS	274 × 243 × 226 mm	
WEIGHT	15,3 kg	
THE SET INCLUDES	1 × head, 1 × telescopic mast, 3 × diffuser, 230V charger, case	



DIFFUSERS:



EN

Monster Light Mini is one of the lightest lighting systems, offering a light output of 18,000 lm in Boost mode. Its compact size and durable carrying case makes it easy to transport. With an IP66 rating, the device operates in six white light modes, including a flashing mode. The Red LED stand-by light allows for an accessible location in the dark. The 24 Ah battery provides up to 23 h of operation in Low mode. The set includes three filters: red, orange, and white (diffusing), as well as a battery level indicator. This spotlight is ideal for industrial use, the energy sector, fire departments, rescue operations, and uniformed services.

PL

Monster Light Mini to jeden z najlżejszych systemów oświetleniowych z serii Monster Light, oferujący strumień światła 18 000 lm w trybie Boost. Dzięki kompaktowym rozmiarom i wytrzymałej walizce jest łatwy w transporcie. Urządzenie o klasie szczelności IP66, pracuje w sześciu trybach światła białego, w tym migającym. Światło czerwone - Red LED Stand By, umożliwia łatwą lokalizację w ciemności. Akumulator 24 Ah zapewnia pracę do 23 h w trybie Low. Zestaw zawiera trzy filtry: czerwony, pomarańczowy i biały (rozpraszający) oraz wskaźnik poziomu baterii. Najsłabsza jest idealna dla przemysłu, energetyki, straży pożarnej, ratownictwa i służb mundurowych.



Mactronic® Group Sp. z o.o.
ul. Stargardzka 4,
54-156 Wrocław, Poland

T: +48 71 351 86 53
F: +48 71 358 44 42

biuro@mactronic.pl
mactronic.pl

©Mactronic Group 09.2024

